

		×
		,

	CALIFORNIA	
	Alameda Co	p:de Co
	Alameda South Shore Jan. 22	Riverside Co North End Saltan Sa Apr. 27, 29
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	Alvarado Salt Ponds July 20 Bay Bridge Toll Claza May 29	San Diego Co
	Pacific Marina Jan. 3	
	Strawberry Canyon, U C. Berleby March 17	Borrego Valley Apr. 25,29 Cuyamaca Lake Apr. 25,29 La Jolla Apr. 29
	Contra Costa Co	Palomar St. Pail Apr. 25,29
	Tilden Park Apr. 21, July 17	Paso Picacho, Cayamaca Ms. Apr. 25
		Point Long Apr. 29 29
	Hymboldt Co	San Viego area Apr. 25
	Humboldt Co Arcata Feb. 25	V V
		San Mateo Co
	Imperial Co	March 31 Pigeon Point
	Salton City Apr. 27	
		Sonoma Co
	Los Angeles Co	Bodega Bay Aug. 6
78	Los Angeles Co Playa del Rey Apr. 29	30 acg 4 3.7 7 (4.9.
	1999 delikey here	San Francisco Co.
	Marin Co.	Farallon boottip July 12
	et. Reyes Jan. 1 Feb. 8 Mar. 18	Farallen Js. July 12
	May 19 June 2	Farallon Is. July 12 Golden Gate Pail Jan. 3, 26
	Manterey Co.	Palare of Fine Arts July 12
	Monterey area Jan. 5 June 3	
	Monterer Bay boot ton Jan 14 Feb.	12 Tulano Co
t till deg freggegigen til mår men prikse eksterke skaper og en egt eksterke i glende sk	Monterey Bay boot trip Jan. 14, Feb. Moss Landing Jan. 5	Three Rivers Jan. 17
	E01084907	
	COLORADO	Denver Co
	Adams Co Barr Lake Dec. 21	Sloan's Lake Dec. 21,29
	Barr Lane Dec. 21	310473 LANE DEC. 21, 19
	Palla Ca	8-11 6
	Boulder area Dec. 30	Pueblo Co Pueblo West Pec. 31
	Boulder area Dec. 30	Cueblo West Pec. 51
	Custer Co	
	Euster Co	
	Wet Mountain Valley Dec. 27	
	LOUISIANA	
	Cameron Par.	Livingston Par
	Cameion area Oct. 28 Nov. 23,24,25	Dec. 16 Denham Spgs Nov. 26
	Gum Cove Oct. 29	
		St. Mary's Par. Dec. 17
	East Baton Rouse Par	Dec. 17
	Highland Road Pail Aug. 27 Sept. 4	
	University Lake Dec. 17	
	Iberia Par	
	Avery Island Nov. 25	
	TEXAS Peros Co. Aug. 19	

Digitized by the Internet Archive in 2017 with funding from CLIR

https://archive.org/details/fieldnotesv155000rems

## Observer Index

\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
	Alton Garth June 3
	Andrews Bob Jan. 22 Dec.27
	Bailey, Steve Feb. 12
	Baldridge, Frank Jan.19
	Bevier, Louis Feb. 25
	Binford, Laurence Jan. 14 June 18 Dec. 27,31
	Branson, Ron Jan. 14 June 3
-	Broadbooks, Bruce Jan. 14
	Brodkin, Hank Feb. 25
	Brodkin, Priscilla Feb.25
	Cardiff, Steve March 31
	Carpenter, Chris June 3
	Clark, Terry Apr. 29
	Copper, Elizabeth Jan. 19 Feb. 25
	DiHman, Donna Feb. 25
	Dunn, Jon Feb. 25 Apr. 25,27,29
	Edgington, Cammie Jan. 1,2,3,5
	Eley, Bill Aug. 27 Oct. 28,29
<u>.</u>	Frickson, Dick July 20
	Fry, Bud June 18
	Garrett, Kimball Apr. 29
	Hale, Linda Jan. 1, 2, 5, 14, 19, 22, 26 Feb. 12 Mar. 31 Apr. 21
	Hale, Linda  Jan. 1, 2, 5, 14, 19, 22, 26 Feb. 12 Mar. 31 Apr. 21  May 19,29 June 2, 3, 18 July 12, 17,20 Aug. 27 Sept. 4  Oct. 28, 29 Nov. 23, 24,25 Dec. 16, 17,21
	Hansen, Keith Jan. 19
	Holmgren, Mike Jan. 22
	Knapp, Barry Jan. 22
_	Langham, Jerry Feb. 12, June 3
	,

•			
		•	

Remsen, J.V. 1978

Jan.1	Point Reyes, Marin Co. Califor	iniq		
	Area: Limantour Estero - scar		ero from parking lot and l	ooMed
	at the 2 ponds E of the or	arking lot	t briefly also scanned oc	ean from hom
	Time: 0800-1000 Observers: Lin	da Hale,	Steve Larson Cammie Edginte	Ŋ
	Wind: 5-10 E Sky: low ove	ercast	Temp: 50-55	
	Species: Common Loon	2	Willet	25
	Red-throated Loon	1	Greator Yellowless	
	Red-neckled Grebe	1	Long-billed Curlew	1
	Horned Grebe	2	Dunlin	200°
	West- Grebe	5	Western Sandpiper	200+
	Pied-billed Grebe	1	Least sandpiper	25+
	N. Fulmar	ż	Sanderling	25
	White Pelican	15	Glaurous-winged Gull	2
	Brandt's Cormorant	2	Western Gull	25
	Pelagic Cormorast	1	Calif Gull	10
	Snowy Egret	1	Ring-billed Gull	25
	Emperor Goose	3		10
	Mallard	10	Men Gull Foods Fliche	i
	Gadvall	50	Black Phoebe	1
	N. Pintail	200	Com. Raven	2
	Green-winged Teal	2	Wreatit	2
	Cinnamon Teal	1	Long-billed March Wren	3
	Am. Wigeon	150	Am. Robin	2
	N. Shoveler	10	Hermit Thrush	2.
	Canvasback	3	Ruby-crowned Kinglet	l
	Lesser Scaup	3	Yellow-rumped Walblas	2
	Com. Goldeneye	1	com. Yellowthroat	1
	Bufflehead	10	Bremer's Blackbird	2
	White-winged 5 cotor	10	House Finish	50
	Surf Scoter	100	Rufons - sided Towher	1
	Ruddy Duck	10	Song Sparrow	2
	Red-breasted Merganser	3_	Water Pipit	5
	Rough-legged Hary	1	White tailed Kite	)
	N. Harrier			#
	Am. Kestrel	1		
	Am. Coot	25		
	& Semipalmated Plover	1		
	Black-bellied Plover	5		
	Black Turnstone	10		
	DIACH LANGTONE			
	1 1 1 1 1	- C		
Jan, 2	Lave Merritt, Alameda Co. Cal		iliada Hala Sta alama Ca	· FJ. · 1
	Areq: E and Time: 1130-1230 C	, noe Aneko		-
	Species: Horned Grebe		scaup (sp)	200
	Eared Grebe	5	Com. Goldeneye	75
A	Pied-billed Grebe	2	Barrow's Goldeneye	15
	Pouble -crested Cormorant	15	Bufflehead	20
	Great Egret Snowy Egret	2	Surf Scote Ruddy Duck	500

Snowy Egret Mallard

Canvasback

Tuffed Buch : Greater Scaup

Lesse Scaup

western Gull

Ring-billed Gull

Bonapartes Gull

150+

25

100

12

Glaucous-winged Gyll

Glaucous-winged X Westen Gull

2

5

2

977				
	Lave Merrit [cont]	1	Scrib ITau	1
Jan. 2	Forster's Tern Annals Hummingbird	ì	Scrub Jay Am. Goot	100
09h. Z		•		, , ,
Jan. 3	Golden Gate Park San Francis	co Co.	Calif.	
	Area: EIN Glen Lalle; Stowe Lall	e (brie	fly Time: 1000-1045	
	Observeu: Stere Larson Cammie Er Species: Pied-billed Greba H	dgingtor	ROCH Pore Wind:0	Temp: 60
	Mallard		Annals Hummingbird	1
	Green-winged Teal	_	Downy woodpecker	3
		ゔ ゚゚゚ゔ゚	Chestant-backed Chickadee Pyomy Nuthatch	8
			Varied Thrush	1
	Ring-neckled Duck	1	Ruby-crowned Kinglet	2
		2	Yellow-rumped warbler	2
	Ruddy Duck	1	Am. Coot	50
	Western Gull	5	Brewers Blackbird	50
		10	Pine Siskin	1
	Mew Gull	30	White-crowned Sparra	1
	Pacific Marina Alameda, Alam	oda (	- Calif	
	Arey: looked at harbor area From	Marin	a parling lot on shore	of
	Oalland" estuary" Onseners:	Same	Time: 1115-1130	
	Species: Common Loon	1	Com. Godeneye	5
	Western Grebe	40	Barrous Goldeneye	43
	Horned Grebe	1	Am. Coot	15
	Double-crested Cormorant	- \	House Finch Killdean	2
	Great Egyet	100	minaear	4
	scaup (sp)			
Jan. 5	Monterey area, Monterey Co.	Calif		41.
	Area: Monterey Harbon from Munic	cipal Pin	er; et. Pinas - Chespito	nd to the
	Point and south along coast Time: 0745-1145 Observers:	10 /10	Hala Stein Laise Com	o Elected
	5My: overcast; some showers wi			e raging in
	Species: Common Loon	3	Black Tuinstone	150
	Arctic Loon	100	Whimbrel	3
	Red-throated Loon	2	willet	25
	Red-necked Grebe	10	Ruff	18
	Horned Greba	10	wandering Tattler	3
	Western Grebe	100	COM: SIMPL	400
	N-Fulman	2		4
	Manx Shearwater	15		10
	Brown Pelican	50	Mestern Gull	120
	Brandt's Cormorant Pelagic Cormorant	100		200
	Pelagic Cormorant	3	1 0 1-1-1	200
	Surf Scoten	50		500
	White-winged Scoten	, (	Heermann's Gull Black-legged Kitiwat	le 7
	Ruddy Duck	4	Com. Mune	90
	Red-broasted Merganser Am. Soot	50	Rhinoceros AnNiel	300
	Black-bellied Plover	5	Cassin's Aullet	25
	Surfbird	20	Rock Dove	
	Ruddy Turnstone	5	NA WOLL CAUNES	2

	Monterey area [cont]			
	Chestnut - backed Chichadee	2 A	udubon's Warbler	6
Jan. 5	Bushtit		ewer's Blackbird	50
0 411. 0	Ruby-crowned Kinglet	_	The Property of the Property o	
11:7		_	m. Goldfinch	,
[cont]	Water Pipit		regon Junco	2
	Eur. Starling		hile-cromed Sparrow	2
	Hutton's Vireo	1 5	ong Sparrow (1 morphing)	2
	Tennessee Warbler	1	,	
	Orange-crowned Warbler			
	Moss Landing, Monterey Co. C.	alif.		
	Areq: articholle fields along Molera Jety Rd. area; Zmudovski St.	Rd; Moss Beach por	d. Time: 1300-1515	hab area;
	Observes : same Wind (5-15 5) 51	ly: heavy !	Temp: 55 Tide ve	ly low
	Species: Red-throated Loon	1	Least Sandpiper	20
	Horned Grebe	30	Marbled Godnit	30
	Western Grebe	100	Sanderling	20
	Brown Pelican	30	Am. Avocet	5
	Double-crested Cormonnh	5	Black-necked Stilt	25
	Great Blue Heron	2	Glaucous-winged Gull	1
	Snowy Egnt	l	Western Gull	50
	Malland	3	Herring Gull	10
	N. Pintail	1	Thayers Gull	1
	N. Shoveler	2	Calif. Gull	57
		75	Ring-billed Gull	1
	scaup (sp)	10		
	Com. Goldeneye		Bonaparte's Gull	7
	Surf Scoten	26	Heermann's Gull	30
	Ruddy Duell	100	W. Meadowlard	
	Red-breasted Merganser	l	Yellow-headed Blackbild	13
	White tailed Kite	4	Red-winged Blackbird	25
	Red-tailed Haul	3	Tricolored Blackbird	Į
	Am. Coot	100	Brewals Blackbird	200
	Killdeen	10	blackbird (Sp)	200
	Black-bellied Plove	5	0.101/101/101/101/101/101/101/101/101/10	
		1		
	Black Turnstone			
	Long-billed Curlew	1		
	Willet	100		rit stermannon or surrence or possible or de-
	Greater Yellowless	1		
	Long-billed Dovitcher	2		
Jan. 14	Monterey Bay boot trip Monterey	co., Cali	f.	
	Area: One to high seas, we spent only	a limite	damount of time 7 1 mile	e
	offshore and most of this isa	s just Ni	w of Pt. Pinor Time: 09	130-1130
	Crest of the time in shore Pacifi	c Grove 7	Observes: Linda Hale M	Me and Joh
	Parmeter, Laurence Binford, Ro	DIAV201	bide piodo Books hep.	KOUINSON,
	Bill Reese, Wind: (5-25 5W	つ 記述.	Overcasi, missily tainin)	gale warnin
	drizzle to some hard squall	5. Seas	: Some large swells, ver	y choppy
	Temp: 55-60			,
	Species : Arctic Loon	40	Brandt's Cormovant	25
	Red-throated Loon	2		50
	Northern Fulman	3		10
				2
	Phalla Landad Change 1970		LOUR MEDICAL LANGE OF LOUR LANGE	2
	Pint-footed shearwater	<del></del>	3,500	
	Manx Shearwater	_ 	+ Western Gull	100
		_ 	+ Western Gull	100

```
Kemsen,
                                              Journal
  つ. V.
  1978
               Monterey Bay boat trip [cont]
                      Black-legged Kittiwalle
                                                    10
                                                    50
                     Com. Murre
     Jan. 14
                                                   400
                      Rhinoceros Au Klet
                                                     2
     [trood
                     Xantus' Murrelet
                                                    25
                      Cassin's Aullet
                 + inshore Monterey (from boat and land):
                                                                   Red-necked Grebe 5
                                                                   12, Pigeon Guillemot
                 Black Brant 2, Harlequin Duck 18, Black Scoter
                  N. Fulmar 5, Double-crested Cormorant 1 imn
                                     Roseate Spoonbill 1, Roush-legged Hawk
               + Castroville area:
               Three Rivers, Tulare Co., Calif.
     Jan. 19
                 Areq: vicinity of the third house on south side of Heidi Rd off
                    South Form Rd where a & Blue-throated Humminghind has heen
                    visiting a feeder since Christman. Time: 1000-1100
                   Observers: Linda Hale, Mille Wihler, Keith Hansen, Frunk Baldridge,
                    Guy McCaskie, Phil Unith, Elizabeth Copper
                   Species: Red-tailed Hawk
                                                                                   20
                                                             House Sparrou
                                                                                   5
                                                     2ad.
                           Golden Eagle
                                                             House Finch
                                                                                   2
                                                             Pine Siskin
                                                      3
                            Annals Hummingbird
                                                      12
                                                             Lesser Goldfinch
                            Blue-throated Hummingbird
                                                                                   225
                                                             Rufous-sided Towher
                            Red-shafted Flicker
                                                             Brown Towhee
                            Red-naped Sapench
                            Acom wood pecha
                                                             Orogon Junco
                                                       4
                                                             Fox Sparrou
                            Nuttall's woodpector
                                                       2
                            Black Phoebe
                                                       1
                            Scrub Jay
                                                       2
                                                       2
                            Plain Titmouse
                                                       2
                            White-breasted Nuthatch
                                                       2
                            Varied Thrush
                                                        1
                             Hernit Thrush
                             Ruby-crowned Kinglet
                + Bravo Lalle, Tulane Co. : Bald Eagle lad.
       Jan. 21 Marin-Sonoma Co. area
                     Red-neilled Grebe - (1) - Bodesa Bay
                     Black Scoter (19) -
                     Formen Merganser (17) - nr. Bodog1
                     Hooded Merganser (17,348) - Five Brods Stables
                      Rock Sandpiper (2) - Bodes, Head
                      Maibled Myrelet
                                       (2011) - Ct. Reyes Holyts.
                      Hermit Waible
       Jan. 22 Alameda South Shore, Alameda Co. Calif.
                                                                       Time: 1215-1430
                  Area: looked at mudflat From Foot of
                                                                      SNY: chear, sunny
                  Tide: Outgoing from high towards low
                                                          Barry Knapp, Mark Holmgren
                  Temp: 55 Observer: Linda Hale, Bob Andrews,
```

Species: Red-throated Loon

Western Grebe

Pouble-crosted Cormorant

15

Great Egret

N. Pintail

Snowy Foret

2

2

	Alameda South Shore Lcon	2	Dunlin	1000
Jan. 22	Am. Wigeon	5	Western Sandpiper	3000
	Canvasback	8	Sanderling	50
-con't	Lesser Scaup	15	Am. Avocet	100
	Surf Scoter	10	Glaucous-winged Gull	10
	Ruddy Dury	10	Westen Gull	10
	Tuilley Vulture	1	Calif. Gull	2
		50	Ring-billed Gull	25
	Am. Coot	1		10
	Snovy Plover	,	Meu Gall	
	Killdeon	5	Forstells Tein	2
	Semipalmated Plover		Rock Dove	
Martini, Martini garante garante	Black-bellied Plove	200	Morning Pore	
	Ruddy Turnstone	5	Water Piét	
- Mark security application specific allegans, specia	Long-billed Curlen	_ 2	Eur. Starkny	3
	Marbled Godwit	500	House Sparrow	
Manager of the second s	w:llet	300	Red-wined Black bird	k
	Greater Yellowlegs	ı	House Finch	
and the same of th	Red Knot	15	Savannah Sparrow	
	Observers: Linda Hale Time:			SMy: cle
material state of the second state of the seco	Species: Eared Grebe Western Grebe	<u> </u>	Am. Robin	128
			Varied Thrush	19
, , , , , , , , , , , , , , , , , , ,	Pred-billed Grebe		Hermit Thrush	2
	Mallard	25	Golden-crowned Kinglet	10
	Am. Wigeon	189	Ruby-crowned Kinglet	17
	N. Shoveler		Cedar Wax wing	<i>65</i>
	Canuasbad	21	Eur. Starling	12
	Greater Scaup	7	Myrtle Waible	29
	Lesser Scaup	27	Andyboals Warbh	18
	Ruddy buell	23	House Spallou	10
	Red-tailed Hamil	2	Red-winged Blackbird	44
	Am. Coot	294	Brewals Blackbord	
	Glaucous-winged Gull	4	Brown-headed Coubird	287 2
	Glaucous-winged Gull Western Gull	71	Brown-headed Coubird Eurple Finish	2
	Flaucous-winsed Gull Western Gull Calif. Gull	71 68	Brown-headed Coubird Eurple Finish House Finch	1 22
	Glaucous-winged Gull Western Gull	71	Brown-headed Coubird Eurple Finish House Finch Pine Siskin	2
	Flaucous-winsed Gull Western Gull Calif. Gull	71 68	Brown-headed Coubird Eurple Finish House Finch	2 1 22
	Flaucous-winsed Gull Western Gull Calif. Gull Mew Gull Rock Dove	4 71 68 46	Brown-headed Coubird Eurple Finish House Finch Pine Siskin	2 1 22
	Flaucous-winsed Gull Western Gull Calif. Gull Mew Gull Rock Dove Band-tailed Pigeon	4 71 68 46 150	Brown-headed Coubird  Eurple Finch  House Finch  Pine Siskin  Red Crossbill  Brown Towhee	2 1 22 44 1
	Flaucous-winsed Gull Western Gull Calif. Gull Mew Gull Rock Dove Band-tailed Pigeon Mourning Dove	4 68 46 150	Brown-headed Coubird  Eurple Finish  House Finch  Pine Siskin  Red Crossbill  Brown Towhee  Oregon Junco	2 1 22 44 1 3 55
	Flaucous-winsed Gull Western Gull Calif. Gull Mew Gull Rock Dove Band-tailed Pigeon Mourning Dove Annals Hummingbird	4 71 68 46 150 11 19	Brown-headed Coubird  Eurple Finish  House Finch  Pine Siskin  Red Crossbill  Brown Towhee  Oregon Junco  White-cround Sparrow	2 1 22 44 1 3 55 36
	Flaucous-winsed Gull Western Gull Calif. Gull Mew Gull Rock Dove Band-tailed Pigeon Mourning Dove Annals Hummingbird Com. Flicker	4 71 68 46 150 11 19 8	Brown-headed Coubird  Eurple Finish  House Finch  Pine Siskin  Red Crossbill  Brown Towhee  Oregon Juneo  White-crowned Sparrow  Golden-crowned Sparrow	2 1 22 44 1 3 55 36 13
	Flaucous-winsed Gull Western Gull Calif. Gull Mew Gull Rock Dove Band-tailed Pigeon Mourning Dove Annals Hummingbird Com. Flicker Red-breasted Sapsucker	4 71 68 46 150 11 19 8 3	Brown-headed Coubird  Eurple Finch  House Finch  Piñe SisNin  Red Crossbill  Brown Towhee  Oregon Juneo  White-cround Sparrow  Golden-crowned Sparrow  Fox Sparrov	2 1 22 44 1 3 55 36
	Flaucous-winsed Gull Western Gull Calif. Gull Mew Gull Rock Dove Band-tailed Pigeon Mourning Dove Annals Hummingbird Com. Flicker Red-breasted Sapsucker	4 71 68 46 150 11 19 8 3	Brown-headed Coubird  Eurple Finish  House Finch  Pine Siskin  Red Crossbill  Brown Towhee  Oregon Juneo  White-crowned Sparrow  Golden-crowned Sparrow	2 1 22 44 1 3 55 36 13
	Flaucous-winsed Gull Western Gull Calif. Gull Mew Gull Rock Dove Band-tailed Pigeon Mourning Dove Annals Hummingbird Com. Flicker Red-breasted Sapsucker Downy Woodpecker Black Phoebe	4 71 68 46 150 11 19 8 3 1 4	Brown-headed Coubird  Eurple Finch  House Finch  Piñe SisNin  Red Crossbill  Brown Towhee  Oregon Juneo  White-cround Sparrow  Golden-crowned Sparrow  Fox Sparrov	2 1 22 44 1 3 55 36 13
	Flaucous-winsed Gull Western Gull Calif. Gull Mew Gull Rock Dove Band-tailed Pigeon Mourning Dove Annals Hummingbird Com. Flicker Red-breasted Sapsucker Black Phoebe Chestnut-backed Chicka	4 71 68 46 150 11 19 8 3 1 4 3 4ee 14	Brown-headed Coubird  Burple Finch  House Finch  Pine Sistlin  Red Crossbill  Brown Towhee  Oregon Junco  White-crowned Sparrow  Golden-crowned Sparrow  Fox Sparrow  Song Sparrow	2 1 22 44 1 3 55 36 13
	Flaucous-winsed Gull Western Gull Calif. Gull Mew Gull Rock Dove Band-tailed Pigeon Mourning Dove Annals Hummingbird Com. Flicker Red-breasted Sapsucker Downy Woodpecker Black Phoebe Chestnut-backed Chicka	4 71 68 46 150 11 19 8 3 1 4	Brown-headed Coubird  Burple Finch  House Finch  Pine Sistlin  Red Crossbill  Brown Towhee  Oregon Junco  White-crowned Sparrow  Golden-crowned Sparrow  Fox Sparrow  Song Sparrow	2 1 22 44 1 3 55 36 13
	Flaucous-winsed Gull Western Gull Calif. Gull Mew Gull Rock Dove Band-tailed Pigeon Mourning Dove Annals Hummingbird Com. Flicker Red-breasted Sapsucker Downy Woodpecker Black Phoebe Chestnut.backed Chicka Bushtit White-breasted Nuthatch	4 71 68 46 150 11 19 8 3 1 4 3 14 5	Brown-headed Coubird  Eurple Finch  House Finch  Piñe SisNin  Red Crossbill  Brown Towhee  Oregon Junto  White-cround Sparrow  Golden-crowned Sparrow  Fox Sparrow  Song Sparrow	2 1 22 44 1 3 55 36 13
	Glaucous-winsed Gull Western Gull Calif. Gull Mew Gull Rock Dove Band-tailed Pigeon Mourning Dove Annals Hummingbird Com. Flicker Red-breasted Sapsucker Black Phoebe Chestnut-backed Chicka Bushtit White-breasted Nuthatch Red-breasted Nuthatch	4 71 68 46 150 11 19 8 3 1 4 3 14 3 14 3	Brown-headed Coubird  Eurple Finch  House Finch  Pine Siskin  Red Crossbill  Brown Towhee  Oregon Junco  White-cround Sparrow  Golden-crowned Sparrow  Fox Sparrow  Song Sparrow	2 1 22 44 1 3 55 36 13
	Glaucous-winsed Gull Western Gull Calif. Gull Mew Gull Rock Dove Band-tailed Pigeon Mourning Dove Annals Hummingbird Com. Flicker Red-breasted Sapsucker Black Phoebe Chestnut-backed Chicka Bushtit White-breasted Nuthatch Red-breasted Nuthatch	4 71 68 46 150 11 19 8 3 1 4 3 14 5	Brown-headed Coubird  Eurple Finch  House Finch  Pine Siskin  Red Crossbill  Brown Towhee  Oregon Junco  White-cround Sparrow  Golden-crowned Sparrow  Fox Sparrow  Song Sparrow	2 1 22 44 1 3 55 36 13
	Flaucous-winsed Gull Western Gull Calif. Gull Mew Gull Rock Dove Band-tailed Pigeon Mourning Dove Annals Hummingbird Com. Flicker Red-breasted Sapsucker Downy Woodpecker Black Phoebe Chestnut.backed Chicka Bushtit White-breasted Nuthatch	4 71 68 46 150 11 19 8 3 1 4 3 14 3 14 3	Brown-headed Coubird  Eurple Finch  House Finch  Piñe SisNin  Red Crossbill  Brown Towhee  Oregon Junio  White-cround Sparrow  Golden-crowned Sparrow  Fox Sparrow  Song Sparrow	2 1 22 44 1 3 55 36 13

	o n M · C C-l'	G -		
Feb. 8	Point Reyes, Marin Co., Cali	Fornia	01- 1/5- 11:	
	Aren: [part of Marin-Sonom	4 Co. 3h	ony (lover) sanderling	Survey
	for J.P. Myers and Gary at E. end of estero from	eage J:	t and welled F	alone
	beach to count Sanderling	Farmy 18	To mi E of O.L.	. 41019
	Time: 1015-1300 Tide: ve	ry high -	no exposed mud at	411 00
	estar and islants almost	Samolate	ly underwater W.	nd : (20-40
	estero and islands almost Sky: Overcast Temp: 55-6	os oce	in : extrenely rough, sv	im ming birds
	Speries: loon (sp)	1	gull (sp)	75
	Egred Grebe	2	Forsteils Tein	2
	Brown Pelican	l	Com. Flicker	1
	Dayble-crested Cormorant	2	Black Phoebe	1
	Gadwall	75	Wrentit	J
	N. Pintail	40	Lang- billed Marsh Wre	×
	Am- Wigeon	150	Ruby-crowned King	
	N. Shoveler	1	Yellbu-rumped Wa	rbla 4
	Comvashack	15	Water Pipit	1
	Tufted Duck	lim.d	+ Hoyse Finch	2.
	Com. Goldeneye	1	Song Sparrow	J
	Bufflehead	15		
	Lesser Scaup	3	~ · · · ·	
	White-winged Scoter	15	Com. Murre	1 -
	Suif Scotor	20	washed up on h	leach -
	Ruddy Duck	25	sich - breast e	nitly diled
	Red-breasted Mergansur	3		
	Tuskey Unit we	,		
	White-tailed Hite	1		
	Am. Coot	20		
	Black Trinstone	15		
	Marbled Godvit willet	150		
	Dunlin	15		
		3		
	western Sandpiper	130		
	Least Sandpiper			
	Sanderling	80		
Feb. 12	Monterey Bay boat trip, Monte	- Co C	alic	
, -0.12		and the same of the same of		radius
	Ares lifton I mile off et. P	nos notte	1 1 2 111.145 4114	result.
	Heavy seas and gale winds further. We were unable to get	prevented	us from gelling out	404
	Time: 0,900 - 1100 Cheer on	out tar &	nough to say had par	
	Vind: (0-30 SW-SE) SKy: Ra	in the trail	continue balley Jev,	rangham,
	1			
	Species: Arctic Loon Brown Pelican	2 8	Bladf-legged killiwale Brandths Cormovent	20 10
			Tom. Mure	
	Red Phalarope	1 K	Phinoceros Autlet	300
	Comarine Jagger		Tassin's Anthet	15
	Glarcous winsed Gull		Pinth-fooled Shearwater -	
	Western Gull	160	The footed alfabet and	
	Area 2: within I mile of	show from	Monterey hashen to P.	ent Pines
	Time: 0830-0900, 1100-120		ter: Same	41 6 4107

Time: 0830-0900, 1100-1200 Species: Common Loon

Arctic Loon

Weather: same 25 Red-th

5

Red-throated Loon

Yellow-billed Loon

	Monterey Bay boat trip [cont		Glascow in al Cill	2
Esh la	Red-necked Grebe	10	Glaurous-winged Gull	
Feb.12	Horned Grebe	20	Western Gull	150
T . 7	Eared Grebe	25	Calif. Gull	16
Locat	West. Grebe	50	Mew Gull	5
	Brown Pelican	20	Heermann's Gull	5
	Brandt's Cormovant	200	Black-legged Killivake	2
	Celagic Cormorant	30	Com. Murre	40
	Harlequin Duck	18	Pigeon Guillemot	3
	Surf Scotor	120	Cassin's Aunlet	l
	Red-breasted Merganser	1	Rhinoceros Aullet	5
	Black Turnstone	3		
	Red Chalarope	4		and a second sectors.
	+ Castroville Blvd. sevage pend:	Lesser	Yellouless 1	
Feb.25	Arcata, Humboldt Co., Calif		Fieldbrasy	
	Aren: Stanley Harris' house on	Charles	Cta: AAccata Bottoms; Ma	nila;
	Washallt Randt much of	Joseph	Creek and at N. end of Eu	reVa
	Time: 0730-1730 Observers	· lindal	tale Tan Duna John Mealle	The McCon
	Elimberto Conse Many Or	in all a K	walk on I I aharan in it	navios
	Elizabeth Copper, Hann's ex	• SCIII4 6	soni 50-50 Sky on the	laulu
	Donna Dittman, Ian MacGre	2900	the se go still barrie	10409
	Wind: 0-5	L:	de ianama T	
	Species: Chighlights only - con	nunon on	The Control of the Co	
	Peregrine Falcon	1 0	( )	
	1101111	1	,	4.9
	Black-headed Gull		(Mad River Slough in Arcate	
	Little Gull		( N. of Eurella on Humbold	( pay
	Cattle Egret	10		
	Snowy Owl	1		
anamasan di di an all'himala, santon hanimanan inmagashid di di histor di sill'instind sintan	Short- early oul	2	(Fieldbrook)	
	Blue Jay			
	Rough-legged Haul	5	(I dail)	
Mar. 17	Strawberry Canyon, U.C. BerMele			1 6 1
	Area lover portions of fire trail			
	Observes: H. Douglass Pratt Time	: 0112-		c lemb.
	species: Red-tailed Hawk	1	Toursend's Warbler	1
	-1:60 1	10	D . (	
	Calif. Quail	10	Purple Finch	
	Band-tailed Pigeon	2	Am. Goldfinch	1
	Band-tailed Pigeon Allen's Hummingbird	2 3	Am. Goldfinch Ryfous-sided Towner	
	Band-tailed Pigeon Allen's Hummingbird Mourning Done	2 3 2	Am. Goldfinch Rufous-sided Townee Brown Townee	5
	Band-tailed Pigeon Allen's Hummingbird Mourning Done Stellels Jay	2 3 2 5	Am. Goldfinch Rufous-sided Townee Brown Townee Golden-crowned Sparrou	5 20
	Band-tailed Pigeon  Allen's Hummingbird  Mourning Done  Stelleds Jay  Sorub Jay	2 3 2 5 2	Am. Goldfinch Ryfous-sided Towner Brown Towner Golden-crowned Sparrow White-crowned Sparrow	20
	Band-tailed Pigeon  Allen's Hummingbird  Mourning Done  Stellars Jay  Sorub Jay  Chestnat-backed Chickadee	2 3 2 5 2 8	Am. Goldfinch Rufous-sided Towner Brown Towner Golden-crowned Sparrow White-crowned Sparrow Fox Sparrow	1 1 5 20 2
	Band-tailed Pigeon  Allen's Hummingbird  Mourning Done  Stellals Jay  Scrub Jay  Chestnat-backed Chickadee  Plain Titmouse	2 3 2 5 2 8 2	Am. Goldfinch Ryfous-sided Towner Brown Towner Golden-crowned Sparrow White-crowned Sparrow	2C 2C
	Band-tailed Pigeon  Allen's Hummingbird  Mourning Dore  Stelled's Jay  Scrub Jay  Chestnut-backed Chickadee  Plain Titmouse  Bushtit	2 3 2 5 2 8 2 5	Am. Goldfinch Rufous-sided Towner Brown Towner Golden-crowned Sparrow White-crowned Sparrow Fox Sparrow	5 20 2
	Band-tailed Pigeon  Allen's Hummingbird  Mourning Dore  Steller's Jay  Scrub Jay  Chestnut-backed Chickadee  Plain Titmouse  Bushtit  Wreatif	2 3 2 5 2 8 2	Am. Goldfinch Rufous-sided Towner Brown Towner Golden-crowned Sparrow White-crowned Sparrow Fox Sparrow	5 20 2
	Band-tailed Pigeon  Allen's Hummingbird  Mourning Dore  Stelled's Jay  Scrub Jay  Chestnut-backed Chickadee  Plain Titmouse  Bushtit	2 3 2 5 2 8 2 5 4	Am. Goldfinch Rufous-sided Towner Brown Towner Golden-crowned Sparrow White-crowned Sparrow Fox Sparrow	5 20 2
	Band-tailed Pigeon  Allen's Hummingbird  Mourning Dore  Stelled's Jay  Scrub Jay  Chestnut-backed Chickadee  Plain Titmouse  Bushtit  Wrentit  Bewickl's Wren  Am. Robin	2 3 2 5 2 8 2 5	Am. Goldfinch Rufous-sided Towner Brown Towner Golden-crowned Sparrow White-crowned Sparrow Fox Sparrow	5 20 2
	Band-tailed Pigeon  Allen's Hummingbird  Mourning Done  Stellals Jay  Scrub Jay  Chestnut-backed Chickadee  Plain Titmouse  Bushtit  Wreafit  Bewickl's Wren  Am. Robin  Varied Thrush	2 3 2 5 2 8 2 5 4	Am. Goldfinch Rufous-sided Towner Brown Towner Golden-crowned Sparrow White-crowned Sparrow Fox Sparrow	5 20 2
	Band-tailed Pigeon  Allen's Hummingbird  Mourning Dore  Stelled's Jay  Scrub Jay  Chestnut-backed Chickadee  Plain Titmouse  Bushtit  Wrentit  Bewickl's Wren  Am. Robin	2 3 2 5 2 8 2 5 4	Am. Goldfinch Rufous-sided Towner Brown Towner Golden-crowned Sparrow White-crowned Sparrow Fox Sparrow	5 20 2
	Band-tailed Pigeon  Allen's Hummingbird  Mourning Done  Stellals Jay  Scrub Jay  Chestnut-backed Chickadee  Plain Titmouse  Bushtit  Wreafit  Bewickl's Wren  Am. Robin  Varied Thrush	2 3 2 5 2 8 2 5 4 1 3	Am. Goldfinch Rufous-sided Towner Brown Towner Golden-crowned Sparrow White-crowned Sparrow Fox Sparrow	5 20 2

Mar. 18

Point Reyes Marin Co., Calif				
Area: Hodets vicinity; Fire Bro	solls Stable	s area; outer Pt. Ruyes	roads	
to Coast Guard parken lot 1/4	mi befor	a Lighthouse + Fish Dock	5 (briefly)	
to Coast Guard parken, lot 1/2 Observer: John P. O'Neill	Time: 103	10 (latestait) - 1500	()	
Wind: 0-5 Sty: high, thin or	vercast 7	Jemp : Hot , 70-80		
Species: Com. Loon	5	Bam Svallou	5	
Aretic Loon	5	Scrub Jay	15	
Red-throated Loon	1	Stellar's Jay	25	
west. Grebe	1	Com. Crow	15	
Horned Grebe	3	Com. Raven	6	
Pied-billed Grebe	1	Chestout-bocked Chickede	30	
Brandt's Comocant	ŧ	Plain Titmouse	1	
Pelasic Cormorant	5	B 4sh tit	15	
hesser Scaup	5	Pysmy Nuthatch		
Bufflehead	4	Brown Creeper	5	
Suif Scoter	100	Wrent:t	2	
Black Scoter	5	Bevick's Wron	,	
Red-breasted Merganser	3	Am Robind	5	
Hooded Merganser	4	Hermit Thrush	5 2	
Turley vulture	50	Golden-crowned Kinglet	5	
Red-tailed Hawk	2	Ruby-crowned Kinolet		
Red-shouldered Hawk	1	Eur. Starlin	5 9 (	3
Am. Mestrel	2	Hullen's Vineo	5	
Calif. Quail	2	Oranse-council wasbland	3	1
Am. Coot	2	House Sparra	2	
West. Gyll	10	Red-vinged Blackbird	15	
Glavrous-winged Gull	1	Tricolored Blackbird	300	
Mourning Dove	H	Bremais Blackbird	75	
Band-tailed Pigeon	5	House Finch	5	
Allen's Humminsbird	5	Pine Sistin	30	
Com. Flielle	1	Rufous-sided Towhere Brown Towhere	9	
Hairy 400 dpecter	2	Ortson Juneo	8 5 Sava	
Downy Woodpecker	1	Golden-crouned Sparra	40 Spa	
Black Chocke	2	White-crowned Shave	40	
	_	Lox sbarra	S	
Violet-grean Svalla	10	song sparru	ю	

Mar. 31 5

Brown Pelican

Pigeon Point, San Mateo	Co. Cali	f.	
Area: watched ocean from c	ar in wi	nd-rain storm. H frei	hters (north)
were seen close enough to	s check f	for walkateasea in wel	le Thee
01 14 (1615/1965 1) 44 1-3	Trailing	Black-tooled Hostrosse	- weather
conditions certainly in hi	bised bis	ed movement observer	efficience
Time: 0815-1050, 1315-1	400 Obse	ruers: Linda Hale Stene To	ediff Cherus
sily: overcast Chorizon visit	ble ~ 50%	o of time); rain light to	madaule
sty: overcast Chorizon visit	5	,	· · · · · · · · · · · · · · · · · · ·
Species: Common Loon	3	Brandt's Cornorant	300 9N
Aretic Loon	400	Pelagic Cormovant	50 7 N
Red-throated Loon	2		
Westein Grebe	7	Black Brant	300
Black-Footed Alhations	6	Surf Stote	2500
Pintl-footed Shearwater	I	White-winged Scoter	25
dark shearwate (sp)	15	Red-breasted Morganser	12 -N
Manx Shearwater	l	Red-breasted Morganser Black Turnstone	12 7 N

willet

	Pigeon Point [cont]			
The Albert of Street St	Pomarine Jaeger	3	Com. Mure	6
March 31	Glaucous- winged Gull	3	Pigeon Guillemst	50
	Western Gull	50	Maibled Myrelet	15
[cont]			Rhinoceros Auklet	5
	Bonaparte's Gull	400		
	Black-legged Kittiwake	4	White-crowned spairs	5
	Forsterls Tem	8		Cresee
	+ Pescaders Marsh: hybrid C:	nnaman X	Blue-ug Teal (like Cinnamon)	
	+ Gazos Creek: West. Flycatcher	5, 4	ilson's Walbly	
Apr. 21	Tilden Park, Contra Costa Co	. Crlif.		
	Area: wall From Plot to Jewel Lake	and bis	efly around N end of Playing F	ield
	Time: 0845-1015 Observes:			
	Species: Mallard	3	Am. Robin	5
	Turkey Vulture	1	Warbling Vireo	3
	Red-tailed Haul		Oxame I with -	6
		,	Orange-crowned warbly	
	Am. Coot		Wilson's Waible	3
	Band-tailed Pigeon	10	Red-winged Blackbird	5
	Mourning Dove	8	Bullock's Oriole	3
	Selasphorus (sp)	4	Brown-headed Coubird	1
	"Yellou-shaffed" Flicker	i	Black-headed Grosbean	8
h Almada a ga a dha ann an a		3	Lazuli Bunting	1
	Downy Goodpection			,
	Black Phoeke		Western Tanager	7
	Western Flycotcher	3	eurgle Finch	1
	Olive-sided Flyatche		House Finch	2
	Stella's Jay	8	Piner Sistlin	2
	Scrub Jay	1	Am. Goldfinch	19
	Chestnyt - backed Chickadea	6	Rufous-sided Touhee	2
	Clain Titmouse	1		- u
	with the same and		Bioun Touhee	
	Bushtit	4	Orrson Junco	
	wrentit	2	Golden-crowned Sparrov	
	Benialls Wren	1	song sparra	5
	Colif. Thrasher			
Apr. 25	Palomar State Park, San Diego	Co. Cali	f. 0100-0400	
•	Area: Fry Creek Campground; Doone	Pond; Hu	Time: 1300 Observe	us: Jon Dunn
	Sky: overcast intermittent shower; so	me breeze	; Full moon, but obscured after Fire	+ 15 mins
	Species: Com. Screech-Owl	1	spotted out	2
	Great Homed Owl	2	(+ Barnowl - just below Mt. Palo	and the section of th
	Borrego Valley San Diego Co.	alif.		
	Area: mesquite thickete im ; various ro	240	elds: Adlf course: Cottonwood Stahl	es: Yaou Lall
	Tree of the lucitation of the state of	יים איים כמרי	11. 1. 10 10 W CO 1 1 2 3 3 5 5	4 75
	Time: 0515-0915 Observes: Jo	א שעחק י	Vind: 0-10W Sky: clear Temp: 6	0-15
	Species: Red-tailed Hawk		White-throated Swift	,
	Northern Harrier	<u> </u>	Costa's Hummingbird	4
And the second	Osprey	1	Annals Hummingbird	}
	Am. Kestrel	5	West Kingbird	6
	Calif. Quail [Taqui]	5	Ash-throated Flycatcher	5
	Gambells Quail	50°	Say's Phoebe	1
		5		\$
and the second	White-winged Dove		West. Flycatcher	,
	Mourning Dove	100+	W. Wood Perce	
	Ground Dove	2	Olive-sided Flycatcher	1
	Time 1			
	G. Roadrynner Long- eared Out I Tamarish Grove	4	Barn Swallow	3

starling House Spalle Borrego Valley [cont] 10 60 Wilson's Warbla Com. Raben 2 W. MeadowlasN 10 Aer. 25 Verdin 1 Hooded Oriole (Yaqui) 2 Bushtit [cont] 7 5 Bulloch's Oriole Bewich's Wren Brewels Blackbird 10 Cactus Wren 2 10 Brown-headed Coubird Rock Wren 3 3 Western Tanager 5 Mochingbird 10 1 Black-headed Grosbeak Calif Thrasher (Yaqui) 1 Crissal Thrasher 2 Blue Grosbeall Lazuli Bunting Blue-gray Gnat catchy (Yaqui) 30 Black-tailed Enatcatche 5 genot Finch 5 ( Lesser Goldfinch Ruby-crowned Kinglet 10 Lawrences Goldfinch 6 Cedar waxwing 1 Green-tailed Towker 3 Chainopep11 Loggerhead ShriMe warders Orange-crowned warder 10\$ Savannah Spairou 10 1-ail Sparra Black-throated Sparra 105 Nashville Warbler Brend 5 Sparrow Yellow Warble 1 While-crowned Eparror Black-throated Gray wash 1 Goldon-crouned Sparrow MacGillivray's Warblen 3 Lincoln's Sparrou + Scisson's Crossing area: Virginia Rail 5, Sora 1, Scotts Oriole 1, Hammond's Flyc. 1 , Lincoln's Space ) + Banner Grade: Mountain Quail 1, Black-chinned Sparrer 1, Red-should and Hauk (30+ mins) Cyyamaca Lalle I Turkey Uniture Common Loon 4 Red-tailed Ha-M Red-throated Loon 4 Golden Eagle Eared Grebe westen Grebe 2 Mountain Quail 2 fied-billed Grobe 8 N. Phalarope 5000 Mallard 4 Herring Gull liptail 9 10 3 Bonaparle's Gull 10 Green-winged Teal Com. Flicker 1 25 Cinnamon Teal Horned Lark 5 Am. Wiseon U 20 Black Phoebe N. Shoveler Violet-green Svallow 20 Redhead 2 Rough-winged swallow 20 Ring-necked Duck 6 Cliff Swallow 1 Canvasback l vestern Kingbud 1 Surf Scoter 4 West. Blnebind 15 Ruddy buch 500 Paso Picacho, Cuyamaca Mtns, San Diego Co., Calif Observers: Jon Dunn Wind: 2-10 5My: Overrast Time: 1100-1200 Coopals Haul Hammond's Flyeatchor Species. 2, ] Olive-sided Flycatch-Red-shouldered Hawk ) Mountain Quail ] Steller's Jay 15 Band-tailed Pigeon 15 Mountain Chichadee 0 ( Anna's Hummingbird 1 Plain Titmouse

Acom woodpecker

Hairy Woodpecker

Nuttallio Woodperty

White-headede Woodpeillr

15

2

1

1

Bushtit

White-breasted Nuthatch

Pygnny Nuthatch Am- Robin

1

2

2

5

Paso Picacho [cont]  Solitary Vireo  Andubon's Warbly  Townsend's Warbly  Leaser Goldfinch  Townsend's Warbler  Favrence's Goldfinch  Hermit Varbler  Sullocally Oriole  Bullocally Oriole  Brown-headed Coubind  Western Tanager  I  Black-headed Grosbeall  Hermit Vireo  Chieping Sparra	3 1 2 5
Apr. 25 Andubon's Warbly 10 Lesser Goldfinich Townsend's Warbler 5 Lawrence's Goldfinich Hermit Varbler 5 Rufous-sided Towhee Bullock's Oriole 3 Dark-yed Junco Brown-headed Corbind 1 Chipping Sparra Western Tanager 1	5
Townsend's Vaibler 5 Lawrence's Goldfinch  Heimit Vaibler 5 Rufous-sided Towhee  Bullock's Oriole 3 DaiNeyed Junco  Brown-headed Coubind 1 Chieping Spairer  Western Tanager 1	5
Hernit Vaibler 5 Rufous-sided Towhee  Bullocals Oriole 3 Dailleyed Juneo  Brown-headed Coubird 1 Chieping Sparra  Western Tanager 1	5
Brown-headed Coubild ) Chieping Sparra Western Tanager 1	
Brown-headed Coubild ) Chieping Sparra Western Tanager 1	·omaj
Western Tanager	omaj
	omaj
	-omaj
	·omaj
San Diego area, San Diego Co. Calif.	omaj
Area: Santes Lakes: Missign Dam: San Diena River channel - Mission By; Pt.	
Areq: Santee Lakes; Mission Dam; San Diego River channel - Mission By; Pt. 1 Silver Strand Time: 1330 - 1930 Observed: Jon Dunn, Elizabeth Co	DOCO
Wind: 0-5 Suy: overcast to low drizzle after 1800 - daily early	Tro
	0
Red-throated Loon   Spotted Sandpiper	3
Eared Grebe 50 Wandering Tattle	2
West. Grebe 15 Ruddy Turnstone	2
Brown Pelican 20 Black Turnstone	10
	00
A 111	00
Felagic Cormorant 5 Sanderling	25
	000
Reddish Egret 1 Least Sandpiper (Santee)	
	0
	0
	3
Mallard 10 Western Gull ~	
	25
N. Pintail   Ring-billed Gull "	THE RESIDENCE AND ADDRESS OF THE PARTY NAMED IN COLUMN
	3
	3
Canvasback [Santee]   Black-legged Kittiwake (Loma)	1
Greater Scaup 4 Forster's Toin	Q
	5
	5
2 1	2
	0
	.5
	12
	25
	15
	10
Am. Coot 100 White-throated suift	1
Black-necked Stilt 5 Costas Hummingbird	2
Am. Avocet 5 Anna's Humminghid	5
Semipolmoted Plant 10 Nuttall's Woodperthe	1
Snowy Plover I Western Kingbird	1
tilldeen 5 Cassin's Mingbird (Santea)	1
Black-bellied Plouer 5 Ash-throated Flycatcher	4
Marbled Godwit 200 Black Phoebe	2
Whimb-el Criverchannel) I Hammond's Flycatcher	7
Long-billed Curley (Strand)   West. Flycatcher	(
Great Yellowlegs "   W. Wood Perse	
Lesser Yellowless I Rough-wronged Swaller	10
-0334 15110-00	

1977				
Apr. 25 Conts	San Diego area [cont]  Barn Swallow  Cliff Swallow  Scrub Jay  Com. Raven  Bushtit  Red-breasted Nuthratch (toma)  Wrentit  House Wren  Long-billed Marsh Wren  Canyon Uren (Mission Dam)  Mockingbird  Water Pipit  Cedar waxwing  Bell's Vineo (Mission Dam)  Yellow wabhr	1031312	Hooded Oriole Bullown's Oriole Brenn's Blackbird Brown-headed Combind Black-headed Frosbeak Lazuli Bunting House Finch Pine Sistlin Am. Goldfinch Lessur Goldfinch Brown Towher Sarannah Sparm Gresshapper Sparm Rufous-crowned Sparmu	220520 105 22 2 5 10 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	MacGillivray's Warble Com. Yellouthroat W. Meadowland Red-winged Blackbird Tricolored Blackbird (Sontee)	1 5 25 20	song sparru	15
Apr. 27	North End Salton Sea, Imper Ares: Whilevater Rivermonth; in Time: 0530-0930 Wind: 5 Species: Com Loon Torche Western Grebe White Pelicon	10 30	Sy: clear Temp: 50- Com. Gallinule Am. Coot Snowy Plover	75 5 500 1
	Pouble-crested Cormorant Great Blue Heron Green Heron Great Egret Snowy Egret Cattle Egret Black-crowned Night Herm	5 1 40 300 20 50	Semipalmated Plone trilldear Whim book Marbled God wit Greater Tellouless Long-billed Dovitch. Ounlin	1 5 3
	Least Bitton White-Faced Ibis Black Brant Snow Goose Mallard Gadwall	25 8 3 8 5 10	Western Sandpiper Least Sandpiper Red Knot Am. Asocat Black-nacked Stilt Herring Gull	206 3 3 )00 25 2
	N. Pintail Green-vinged Teal Cinnamon Teal Am. Wigeon N. Shovetor Redhead	5 2 10 5 100	Ring billed Gull Bona parlets Gull Gull-billed Tern Forster's Tern	50 15 2
	Ruddy Duck Ruddy Duck Red-breasted Merganser Red-tailed Hauk Am. Mestrel	1000	Caspian Tem Black Tern Rock Dove Mourning Dove Ground Dove Greater Roadrunner	5 20 5 20 1

Gambel's Quail

Virginia Rait

While-throated swift

(Rufous Hummingbird -Lesson Nighthaun

Vaux's Swift

15

1-20)

1718				
The state of the s	North End Salton Sea			
λ	Ladder-backed wood pedlo	,	Audubon's Warble	\$
Apr. 27	Wostern Kingbird	4	Townsend's Waible	
- 0	Ash-throated Fly catcher	2	Mac Gillivray's Warbly	)
[cont	Tree Swallow	13	Com, Yellouthroat	3
	Bank Swallow	4	Wilson's Warbler	5
	Rough-winged 5411100	25	House Sparrow	50
	Barn Swallow	15	Yellow-headed Blackbird	62
	Cliff Swallow	S	Red-winged Blackbird	10
	Com. Raven	2	Hooded Oriole	(
				4
The state of the s	Verdin	10	Bullock's Oriole	
	Bawich's Wren	(	Brewer's Blackbird	10
	Cartus Wron	4	Brown-headed Coubird	15
	Long-billed Marsh Wren	10	Blue Grosbeall	2
	N. MocNingbird	4	House Finish	10
	Crissal Thrasher	3	Abeit's Touhee	10
	Black-tailed Gnatcatcho	5	(Browns Sparrow - 1- JO	)
	Eur, Starling	50	SONS SPANIOU	10
	Waibling Vineo	2	- (	
	Orange crowned Walble	1		
	Yellow Warbler	1		
		ye where the first of the development of the definition of the development of the develop		er krivalnik, sekipegar, glasi ili seri si 1915, di 1915. Alba sangganaran
	Salton City, Imperial Co., Cal	tt		they are in the international course or the same programmer to the same and the same or the same of th
	Area: beaches from north to south		servers: Jon Dunn Time:	1000-1100
	Species: Eared Grebo	5000	willet	15
	Great Blue Heron	l	Greater Yellowless	4
	Snowy Egret	4	Am. Avocet	50
	Prairie Falcon		Black-necked Stilt	10
	Am. Coot	10	Calif Gull	5
gaggagana Amerika (gagana ang ngaragan saganagana) pang arang ana ang ang ana ana ana	Snowy Clove	8	Ring-billed Gull	15
			_	5
	Semipalmated Plan	20 5	Bonaparte's Gull	8
	Black-hellied Plove		Gull-billed Tern	
	Killdear	2	Forstal's Tein	25
	Marbled Goduit	10	Caspian Tein	2
	downtoher (sp)	300	House Spallow	2
	Short-billed Dovitcher	10		
	Dunlin	25		
	Red Knot	50		
	Western Sandpiper	400		
	Least Sandpiper	2		gis provide formal discharge 3 to below per
	Contail.			
	Sanderling	. Шая =	= 228 (+ 3 seen hyothurs	THE RESERVE THE R. L.
۸ ۵-				)
Apr. 29	Mt. Palomar State Park, San Viego	Co., Calif		012
	Area: Fry Creek Campground; Doane			219
	Wind: 0-2 SMy: high overcast, 1/2 moon	but not vis	tible Temp: 50	
	Observed: Jon Dunn, Kimball Garrett,	Richard Vek	oster, Terry Clark	
	Species: com. screen-Owl 1 (probabl	y outside p	and boundaries by 5 miles)	
	Great Horney Owl	2	N. Sav-whet owl	1
	Spotted owl	2	N. Pygmy-Owl	
-	+ Lake Henshaw: Barn Oul 3	gyptimingsti, "Ngalistinich i ding bill. Mil Ni Ni Na ding ing meminer - n		· •
	North End Salton Sea, Riverside C	o Calif.		
	And the state of the state of	5	andbirds in mean what he Mat as I	incola Ana
	Area: month of Whitewater River; two	STOPS TOP 19	CIMP TO THE PROPERTY OF THE PR	ארבו איפוניי
	and at nearby farmhouse on Ave. G6	4150 brief	Floor at e. endof 81st. ("	vastee for bin
	Time: 6445- 0720 Wind: 10-20 N			4~
			estern Grebe	2
And the second s				

Apr. 29 [cont]

Lond North End Salton Sea 20 Calif. Gull 2 Pied-billed Grebe 100 Ring-billed Gull 100 White Pelican 1 ad, Franklin's Gul 10 Pouble-crested Cormorant Bonapartels Gull 20 4 Great Blue Heron Forsteils Tein 300 Green Heron 5 10 Black Torn Cattle Egret 25 23 Black Skimmer Great Egret 50 00 Mourning Dove Snowy Egret 2 25 Com. Ground - Dove Black-crowned Night Heren 4 Least B: Hem Greater Roadrunner 10 Am. Biltern Lesser Nighthaw M Ţ 2 White-faced Ibis 5 Vaux's Swift -Brant 6 White-throated Svift 3 Belled Kingfisher 10 ) Snow Goose 1 Ladder-backed woodpecker 1 Ross' Goose Western Kingbird 1 10 Mallard 3 5 Gadwall Ash-throated Flyc-tcha N. Pintail 2 Hammond's Flycalchen 1 5 W. Wood Pruce Green-winged Teal { 5 Tree Swallow 10 Cinnamon Teal Am. Wigeon 2 Rough-winged Swallow 50 N. Shoveler Bain Swallow 25 20 Redhead Com. Raven 2 5 Bufflehead 5 Verdin 1 Ruddy Duck 1 Bewick's Wren 200 Red-breasted Merganser 2 Eactus Wren 6 Red-tailed Hawk t Long-billed Marsh Wren 10 Northorn Harrier N. Mockingbord 8 1 Am. Nestre ł 4 Crissal Thrusher Gambel's Quail Black-tailed @nateatch 2 5 Cedar waxwing 20. Clapper Rail 2 Virginia Rail 2 Phainopepla ( (Sora - 1 - KG, RW) Loggerhend Shille 2 5 Eur. Starling Com. Gallinule 25 40 Warbling Vinco Am. Coot 2 Somipalmated Plover Lucy's Warbler 1 10 ŧ Audubon's waible Snowy Plover 2 Killdeen com. Yellow throat 1 2 Ruddy Turnstone 10 wilson's Warble 3 40 House Sparrow Whimbrel 20 Spotted Sandpipor Yellow-headed Blackbird 3 25 Willet Red-winged Blackbird 10 10 Greater Yellowless Hooded Oriole 2 2 Bullock's Oriole Ked Knot 50 4 Least Sandpiper Brown- headed Coubind 5 Western Sandpiper 300 Western Tanage 3 Black-headed Grosboak Bine Grosbank Lazuli Bunting Dunlin 5 2 Short billed Dowitch 20 Long-billed Dowitch 100 5 House Finch Am. Avocet 3 200 Abeit's Towhoe Black-necked Stilt 20 2 White-crowned Sparrow 10 Wilson's Phalaropc Song Sparrow 5 Glaucous-winsed Gull Black-bellised Plow 10, Maibled Goduit 5

10

+ Salton City: Gull-billed Toin 2, Sandaling

Herring

6-11

Borrego Valley San Diego Co. Calif. Area: roads through the valley; stops at 3-4 tree clumps in valley; Apr. 29 stops on slopes of hills bordering valley; Tamarish Grove; Yapri Wolls Observes: same Wind: 0-20 [variable from spot to spot) Time: 0805 -Cront Temp. 70 SXY. p.c. Species: Red-tailed Hawl Nashville Waiblo Black-throated Gray Haible Swain son's Hawy 4 Golden Eagle 2 Mac Gilli vrayls Walble Com. Tellouthroat Am. Kestre wilson's Walbly Greater Roadrunne 3 House Sparrow Com. Poorwill (~0345) 20 Costals Hummingbild 2 Bullock's Orisle 5 Rufous Humminybird West. Tanger 1 Western Kingbird 5 1 Black-headed Grosbeall 51713 Phoebe Lazuli Bunting 2 3 20 House Finch Western Flycatche 20 Com. Raven Lesser Goldfinch 10 5 5 Verdin Laurence's Goldfinch Bushtit Green-tailed Towhee Savannah Sparrow 1 Beviells Wren 1 Laid Sparrow Rock Wren 2 2 Black-throated Sparra N. Mochinobid 5 Hernit Thrush Brewals Sparrou White-crowned Sparrow Blue-gray Gnatcatcher 4 Chainopepla Golden-crowned Sparrow Eur. Starling Lincoln's Sparral 5 solitary Vireo 1 2

Warbling Vineo

Orange-crowned Warbler

area : calif. Quail Scott's Ociole, W. Merdowlain Ladda - build Veodpent + Scissoils Crossing

+ Banner Grade: Shurp-shinned Hard 2, Mountain Quail, Anna's Humminsbud Belted Tringfisher, Acorn Woodpecker, Ash-throated Flycatcher, Oliversided Flycator, Scrub Jay, Plain Titmouse, Wrentit, Calif. Thrasher, HuHon's Vireo, Tellow Waible Rufous-sided Towhee, Black-chinned Sparrow, (Black-chinned Hummingbird - 1-KG, JD)

Cuyamaca Lalle, San Diego Co. Calif			
Time: 15 mins. obs. Wind: 10-20	0	bs: Same	
Species: Common Loon	6	Violet-green Swallow	10
Fared Grebe	2	Cliff smaller	10
L'dabbling ducts ignored		Eurple Martin	4
Ring-neckled Duck	30	Steller's Jay	2
Canvasback	2	Com. Crow	5
Lesser Scaup	3	Oregon Juneo	1
Suif Scott	10	[Chipping Spara - JD, MG, RW]	
Red-failed Haur	2	Brewels Blackbrid	10
Golden Eagle			
Mountain Quail	2		
Am. Coot	100		
N. Phalarope	200+	100	Principles - State of the State
Belled Kingfisher	. 1		
Com. Flicker	1		
Horned Lary	5		、 -

or and the control of the control of

Paso Picacho, Cuyamara Mtns, San Diego Co., Calif Apr. 29 Area: walk ground outsMirts of campground Time: ~ | hr. Obs: same L cont Wind: 5-10 ENT. b.c. 5 Andybon's Waible Species: Red-tailed Haul 2 Townsend's Waibher S Band-tailed Pigeon Hermit Walblor S Acom Woodpecker Nultall's woodpecker Black-headed Grosbean (Ash-throated Flycatcher white-headed Woodgecher Olive-sided Plycatcher Purple Finch Rufous-sided Towhee 10 Stellers Jay Oregon Junea Mountain Chichadee 3 2 Plain Titmouse 2 While-breasted Nuthatch Pysmy Nuthatch 3 Biouri Creeper Comments: Although time of day and weather conditions were nearly identical to those of 25 Apr., bird numbers were much reduced, a) most certainly due to abundance of campers using the campgious Turley Vyltue 1, Coopers Haul 1, Red should ared Hault (15 mins + Santae Lares, San Diego Co: Cassin's Mingbird, Black Phoebo, Tricolord Black bird Mission Dam: White-tailed Kite I, Canyon Wren I, Yellow-breasted Chat 2 Bell's Vireo 2, Ryfors-crowned Sparra 2, Am. Goldfinch 2, Grasshopper Sparra Brown Toshee 2 + brief stops Ct. Lama College, Point Loma, San Diego Co., Calif Cabrillo Nat. Mon. Area: coast from Coast Guard Lighthouse to nearly parking lot next to marine lab Time: 1610-1645 1730 Tide: High pecies: Arctic Loon 10 Parasitic Parasitic Jaegar Species: Aretic Loon 2 Red-throated Loon westen Gull 15 Brown Pelican Heermann's Gull - | 6 Black Storm - Petrol Elegent Tern 100 tern (sp) 20 10 Brandt's Cormorant White-throated 5 mift Pelasic Cormonant 2 10 Barn Swallar Surf Scoty 25 -1 Black Oystercatcher 1 Red-breasted Nathatch Hermit Thrush Black-bellied Plong 1 1 Ruddy Turnstone 2 Ruby-crowned Kinglet Townsend's Ivable Spotted Sandpiper 50 1 2 Wandering Tettle wilson's war phy Hammond's Flycatcher West. Flycatch + San Dieso Rivermonth: Royal Tern 25, heast Tern 25, Com. Tern 50, Caspian Tern 10 La Jolla, San Diego Co., Calif. Ares: Scanned ocean trocks from Pt. La Jolla. Time: 18 > 20 mins SKY = summy foc. Tide: high wind: 0-5 Observes : same Species: Souty Shearwater tern (sp) 200 Manx Shear water Western Ceull 3 23 Brandt's Cormurant Hearmann's Gull 8 2

10

201

Black Turnstone

Parasitic Jaggr

				A AN ANNA A A MANAGEMENT AND ANALYSIS AND AN
Apr. 29	+ San Diogo Bay nr. Coronado bridge:	Greate :	Scaup 4	
[cont]	Playa del Rey, Los Angeles Co.	Calif.		
LConij	Aren: walked along lock jetly	+ 01000	creek inlend a 1/4 mile	Obs: 50m
	Time: 2200-2300 (by Flashlis	410.15		900
	Species: Com. Loon	1	Black Oystercatcho	* * W W TO STORE WE AND AND ADDRESS.
	Arctic Loon	4	Wandering Tatth	2
Manager and the second	Black Brant	1		
	Suif Scoter	25		
	Black Scota			
	White-winged Scato	ì		
	The state of the s	and the second s		
May 19	Pt. Reyes Marin Co. Calif.			
	Areq: Mendoza Ranch (to look for	tossible	White-eyed Vines report	led there today
	Time: 1800 - 1910 Observes: L			•,
	Wind: 5-15 W SMy: clear, but dons			5-60
			House Spallow	20
	Red-to: Led Hawk		White-eyed Viceo	are off-till all area with the aff areas held at the sales and the sales are a second
	Com. Raven	5		18
	Horned Lark	)	House Finch	2
	Tree Syallow	2	Pine Siskin	2
	Bam Swallow	S	White-crowned Sparrow	and have considered agreement of the specific above taken in an indirect specific file taken, the state of the state of the specific above taken as the specific above tak
	Fur. Starling	15	•	
	J		The second section of the second section secti	- Becommender Bergermann S. 34. W. I. Linger Le. Harris S. Espringer (Berger) (1944)
May 29	Bay Bridge Toll Plaza, Alameda	Co. C	elif.	
	Time: 1200-1300 Observeu:			- most teins
	too for away to J.D. Wind: 5	Ke w	y: clear Temp: 75	
	Species: Brown Polican	25	Western Gull	100
	Double-crested Cosmorant	1	Calif, Gull	7
	Great Egret	)	Casgian Tein	10
	Snowy Egret	the same of the sa	Forstells Tein	175
	Black crowned Night Heron	8	Mourning Done House Finch	
		5	House Finch	8
	Black-bellied Plover	5	Am. Goldfinoh	3
	Long-billed Curley	NAME AND POST OFFICE AND POST OF THE PARTY O	Song Spalls	5
	myimbre	1		
	Marbled Godwit	9		A No. A Principal consists 1 constituting gas pages departs
	2			
June 2	Point Reyes, Marin Co., Calit.			The second secon
	Area: Outer et. Reyes from Schoor	ver Bay	to Lighthouse; Mend	oza Ranch;
	Lighthouse; Fish Docks + willow	s in di	rauto the north; Nunes	Ranch +
	First weedy gully to sw; Dra	Meb Bea	ch. Time: 0720-133	30
	Observers: Linda Hale, Kent Van	Vuren	Wind: 0-5 = 51/4:	thich high
	overcast until ~ 10 AM; then c	learing -	to sunny slies; Overcas	t in AM
	from perMeley to et. Reyes but cl			50-70
	Species: Common Loon	10	Great Blue Heron	
	Arctic Loon	150	Syrf Scotor	100
	Red-throuted Loon		Turney Uniture	10
	Western Gebe	2	Red-tailed Hawk	4
	Horned Grebe Chred. elar			2
	Sooty Shearwater		Am. Kestrel	.0
	Brandt's Comorant	300	A STATE OF THE STA	Manch )
	Palasic Compant	25	Killdeen	
		4 to 10 to 10 to 10 to 14	rakarapapapakapapapapapapapapapapapapapa	

June 2

[tros]

Pt. Reyes [cont]		
West. Gull	30	Black -
Com. Murre	1000+	Tenn
Pigeon Gnillemot	20	Yello
Mourning Dove	2	Bay-
Court Housed and - IH	==	Com.
Allen's Hummingbird	5	Am.
Black Phoebe	l	Hous
Empidonex (se)	1	Red-
M. Wood Perree	4	? Tric
Colive-sided Flycatcher -	1-1700)	Brow
Horned Lark '	2	Brew
Roush-winged Suallow	5	House
Bain Svallow	30	Am.
Cliff Svallow	5	8ine
Com. Raven	5	Save
Mountain Chickadee	{	Whit
Winter Wren	(	Son
Bewich's Wren	3	
N. Moclingbird	l	
Am. Robin	1	
Swainspols Thrush	3	
Suginson's Thrush western Starling	50	
~		

Black and while Waible	2 (8
Tennessee Warble	3
Yellow Warbler	1
Bay-breasted Warbler	18
Com. Yellowthroat	2
Am. Redstart	12
House Spairou	50
Red-winged Blackbird	10
? Tricolored Blackbird	1 Che
Brown-headed coubird	5
Brewels Blackbird	15
House Finch	10
Am. Goldfinch	10
Pine Siskin	15
Savannah Sparrow	5
White-crowned Spaller	30
Sons Sparrow	3

ardi

10

550202

June 3

Monterey grea, Monterey Co. Calif

Scrub Jay

Area: Carmel Rivermonth - strictly From Carmel River beach - and look virtually only at the White-rumped Sandpiper found yesterday by Jeri Langham. Time: 0600-0730 Observers: Linda Hale, Garth Alton, Chris Carpenter, Jeri Langham, Ron Branson, + many members of Sacramento Aud. Society. Wind: O SKy: thick high overcast Temp: 60 Water: fairly large exposed mudflat.

water: fairly large exposed mudfl	at.	
Species: Mallard	10	Svainson's Thrush
Red-breasted Merganser trilldeer	1 2	Eur. Starling Com. Yellouthroat
White-rumped Sandpiper- Wilson's Chalarope	1	House Sparra Red-winged Blackbird
Western Gall Mourning Pove	102	Brown-headed Cowlord
Belted Hing Fisher Black Phoehe	l	While-crowned Spann
Violet-green Svallow Tree Svallow	5	
Barn Suallow Cliff Suallow	15	
Rough-winged Swallow	2	

2

Area 2: Cyeress graves at Cresci Pond and Esplanade — no migrants seen despite dead calm and thick, high overcast

June 18

Palace of fine Arts, San Francisco, San Francisco Co., Calif Area: walked all the way around the lake, but concentrated on the island at N. and, locking for Great tailed Grackle reported home earlier Time: 1900-1945 wind: 5-15 w Sky: clear Temp: 60 Observers: Linda Hale, Don Roberson, Laurie Binford, Joe Morlan, Jolaine Munch, Bud Fry

1110	Palace of Fine Arts [cont]			
	greasy Mallards	10	Brewer's Blackbird	25
June 18	Bufflehead	18	Great-tailed Grackle	18
	Black-crowned Night Heron	10	House Finch	2
[cont]	Am. Coot	2		
	Rock Dove	10	White-crowned Sparrow	2
		3	Song Sparrow	,
The state of the s	Violet-green Swallow Bain Swallow	4		
The second second second	Cliff Swallow	8		
	House Sparrou	15		
	Brown-headed Co-bird			
July 4	Tufted euffin (1-Be) - et-Reyos	Lighthou	se, with 75 = suif scotors	
July 12	San Francisco Bay BerHeley Marine	· to 5	Men Sale Bilden [7]	-F
	Time: 0630-0745, 1830-1945 0	bser es : 1	inda Halo Charlie Sallan Cal	Markant
	500000: Ach Claim Oatol	- POLIVED . L	Western Gull	200
All and the second seco	Species: Ashy Storm-Petrel Brown Pelican	10	Heermann's Gull	10
		15		
	ABrandi's Cormorant Mallard	١		30
		,	Caspian Tein	
	Semipalmated Place	\ 1	Common Ten (near Angel. ]	300
	Short billed Povitcher	,	Common Murre	500
	Black-crouned Night Heran			e e a secondador de se a sel asser acidos processos de la constanta de la cons
	Boat trip to Farallons, San Fre	incisco	Co., Calif.	and the second s
	treg: From I mi. offshore from			
	Tine: 200. 0800 - 1300 1400			mostly
	hish overcast, except for I hr.			,
	Species: Black-footed Albati	055	1 Wester Gull	25
	Sooty Shearwater		7 Heerman's Gull	2
	Control of the second of the s		3 Com. Murre	
	Brandt's Cormorant		50 Emany flying from 5.	
Annual Section of the Control of the	Pelasic Comorant		3 Familians carrying fi	Sb J
	Farallon Islands, Calif			
ah daya ta sarah sarah sarah ta sarah	Area: brief look around islan	d From	sailboat - went around	SE.
	Farallons once. Time: 180			
	Species: Brown Pelican			200
			of Tuffed Buffin-	8
publishing may be a second or over an approximation of the control	And the second s		t Cassin's Aullet	1
	Black Oystercatcher	2		•
	Western Gull	200	The state of the s	
	Com Muire	10,00		
	COM ITAME	Augustus South Agent Names and Africa Night	The second section of the second section of the second section	XXX M AND THE SECURIOR OF SECURIOR RESIDENCE A SAME
July 17	Tilden Park Contra Costa	Co., C	Calif	The same trapers of the second of the same of
	Areg: Walk around Jewel Lake (	1 4.7 61	us rest of time seent in di	ense
	thickets upstream from J			
	for worm-eating Warbler w			
	Observers: Linda Hale Temp:	15-80	Wind: 0-10 Sty: clean	
and the second s	Species: Feral Mallard	25	Annals Humminghird	る
	feral (?) Pintail (very tax	no)	Allen's Humminghird belted Kingfisher	(ID assymed)
	Coopers Hawy	19	d belted Kingfisher	. , , , , , , , , , , , , , , , , , , ,
	California Quail	2	Downy Woodo ecker	
	Am- Coot	6(3	Downy Woodpecker 5 jus.) Nuttall's Woodpecker	
	Mourning Dave	3	Black Choebe	
			I MOCK / DOMIN	

4

5

2

8

1 5

5

4

20<sup>+</sup>

20+

200+

25

30 + 10 juns

2ads + ljuv

1978 Tilden Park Loont western Flycatcher Red-winged Blackbird July 17 w. wood Pewee 3 Western Tanager Olive-sided Flycatcher 1 Black-headed Grosberk [cont] Barn Swallow Purple Finch 1 Sciub Jay House Finch 5 Steller's Jay Am. Gold Finch Chestnut-backed Chickadee 10 Lesser Gold Finch Plain Titmouse 3 Rufous-sided Touhee BIOUN Touhee Bushtit 2 Wrentit 5 Oregon Junco Bewichls Wren 3 Song Spairow Swainson's Thrush 12 Warbling Vineo Worm-eating Warbler Wilson's Walbler 2 House Sparrow 2 July 20 Alvarado salt ponds Alameda Co. Calif. Area: Leslie Salt Co. goods and marshes due W. of Alvarado to see Black Stimmer Dick Erickson had just found Obseres: Don Roboran Richt Time: 1700-1830 Wind: 5-10 SNy : clear Temp: 75 willet Species: White Pelican 400 Pouble crested Cormorant 200 Short-billed Dovitcher Great Blue Heron 2 peep (sp) Black Stimmer Great Egret 3 Snowy Egret 25 aull (sp) 15 Black-crowned Night Heron Caspian Tem Forsley's Tem Gadwall 10 ads + 25 jus. Least Tem Cinnamon Teal Mallard 2 Com. Yell outhrost Savannah Sparrer Greater Scaup 30 Song Sparra Rudby Duck 10 Nouthern Harrier 2 Am. Avocet 20+ Black-necked St. 17 30+ Wilson's Chalarope 501 10 Long-billed Curlow 200<sup>†</sup> Maibled Godwit Bodega Bay, Sonoma Co. Calif. Aug.6

Area: fresh-water pond at entrance to Poran Pail ; brief look around edge of bay and at ocean from Bodega Head. Time: 0945-1230 (mostly looking for Semipalmated Sandpiper), wind: 0 Temp: 75-80 SKH Observers: Linda Hale, Joe Morlan Tide: low Species: Common Loon TuiNey Valture 2 Arctic Loon 5 Osprey l Red-throated Loon 1 Semipalmated Plover 20 Hilldeer Brown Pelican 5 5 Brandt's Cormorant 20 Am. Golden Plover 1 2 Great Blue Heron Black-bellied Plove 4 15 Mallard Wilson's Phalarope 20 willet 10 Greator Scaup Marbled God vit 20 White winged Scoto 5 Whimbrel Surf Scoter 15 2

1978				
	n			
	Bodega Bay [cont]			
Λ	Western Sandpiper	75	Mourning Dove	5
Aug.6	Least Sundpiper	25	Belted Kingfisher	10
[cont]	Short-billed Dovitcher	8	Bain Swallow	10
L CONT _	west. Gull	75	Long-billed nursh Wren	8
	Calif. Gull	25	Am- Goldfinch Piñe Sistin	8
	Ring-billed Gull	10	Savannah Sparray (8	iceding ya!) 8
	Heermann's Gull	3	•	3 10
and the second s	Com. Murre	10	Chipping Sparrow (ran White-crowned Sparrow	e 10 (4119)
	Pigan Guillemot	19	white crosned sparra	1
	Cigan Collinemo.	13		C1-120
Aug. 17	14 mi N. Blythe Riverside Co.	Cal.f.	Yellow-billed Cuckso-1-	Clark Ranch on nest
Aug 19	Ft. Stockton to Ozong on I-	10 Te	°× 4 5	
				4
	Suainson's Haul		N. MocKingbird Lark Bunting	(60)
	Mourning Dove	10		
	Gr. Roadrunner	1		
	Roadside rest E. of Sheffield (o	n I-10	), Pecos Co.	Texas
	(20 min):			
	Mourning Dove	2	Black throated Spairs	4 (1 Reeding coupled
	Verdin	1	Lail Sparrou	
	Bewiell's Wren		Hooded Orible	2
	Canyon Wren	1	Scotts orible	2
	House Finch	2	Brown-headed Cowbird	1-juv.
	Lesser Goldfinch	1		
	Brown Towher		Manual Ma	C. C. A. M. A. C. Marie C. Marie C. Marie
Aug. 27	Highland Park, E. Baton Roya	o Par.	Louisiana	
	Ares: nostly tell second-growth o	idjacent	to archery lange Time:	0825-0945
	Observers: Linda Hale, Bill Eley	Temp	: 80 SKy: pc wind: C	)-5
	Species: Red-shouldered Hawn	1	White-eyed Vireo	6
	hummingbird (sp)		Red-eyed Vineo	2
	Downy Woodpecker	(	Prothonotary Warble	
	Great Crested Flycatcher	Z	Worm-eating Warbler	
	Acadian Flycatcher	3	Canada Warbler	1
	3 Yellow bollied Flycatche	<u></u>	Summer Tanager	
	Blue Jay	5	Red Cardinal	4
	Com. CION	2	Rufous-sided Towhe	او ا
	Fish Crow	1		
	Carolina Chickadee	3		anger a st. male attraction properties. Second through the Second teachers to continue the sec
	Carolina Wren	3		
	Brown Thrasher			or the statement of the second
Sept. 4	Highland Pail			
	Time: 0850-1010 Observer	s. Lind	a Hale	The second secon
	Wind: 0-5 Temp: 80			
	Species: Great Egret		Blue Jay	2.
	Mourning Dove	l	Com. Crou	3
	Red-bellied woodpecke		Fish crow	1
	Great Crested Fly 14tcher		Cardina ChicNadae	
	Eastern Loud Pere	1 CH		2
	Acadian Flycatcher	6	Carolina When	4

Sept. 4
[cont]

Highland Park [cont]			
N. Mockingbird	2	Ryfous-sided Towhee	t
Brown Thrasher	1		
Eur. Stailing	4		
White-eyed Viceo	9		
Canada Warbler	1		
Red Cardinal	5		

Oct. 28

Cameron Parish Louisi		al. 11 on 01		
Areg: Gabine NUR halets a	नवं वन्दवः	along Huy 21; rebe	GOUX DE	9ch
and adjarent shoeline	00ds 5 m	with's voods Cameron	Jehr	-
and addient aunting	line	1800 - 1830 Temp:	0- 00	
Ted Parker, Bill Eley, 1	ומט פון	id: 2-15 N Observers	LINGA	17 4 14
Species : (Olivarans Cormount	- 2- 10	41.		
Great Blue Heron	10	Least Sandpiper	15	
Little Blue Heron	3	Punlin	50	
cable Egret	10	Herring Gull	20	
Reddish Egnet	i	King-billed Gull	75	9
Great Egret	25	haushing Gull	2000	
Snow Eyret	100	Bonaparte's Gull	5	
Louisiana Heron	5	Forefelb Tern	195	77
Plegado (Sp)	100	Royal Ten	106	1111
While Ibis	10	Sandwich Tern	(	
White-Fronted Goose	20	Caspian Tein	5	
Chottled Pack - 100		Black Stimmo	15	
Gadwall - 100	50	Mousia Dave	16	\$ 0 m
N. P. intail	25	They pave	15	
Blue-winged Teal	15	Yellow-billed Cuckoo		
N. Shoveler	60	Barn Owl	3	
Red-should ared Hauld	3	Belled Mingfish		1
Red-tailed Haul	3	Yellow-shafted Flicher	2 3	
Northern Harrier	6	Yellowbollied Sapsuck		Control of the Contro
Merlin	2	Eastern Phoelie	(	
Am. Mostrel	15	Tree Syallow	25	
Virginia Rail	2	Royal -winged Sualla	~ 2	
Com. Gallingle	40	Barn Swallow	5	
Am. Coot Am. Avocet	150	Blue Jay Fish Crow	15	
Semipalmated Plover	15	Red-breasted Nuthal Brown Crosper	tch 1	
Piping Plove	3	House Wren	40	
Black-bellied Plove	30	Marsh Wien	2	
Long-billed Cuiley	2.	Sedge Wren	1	
Greater Tellowless	15	N. Mocking bind	10	
Lesser Yellouless	1	Gray Cathind	1	
Willet	20	Brown Thrasher	8	
Ruddy Turnstone	3	Hernit Thrush	8	
Com. Snipe	5	Mountain Bluebird	1	
Long-billed bouitcher	50	Blue-gray Ensteatehr	15	
Short-billed Vositcher	2	Ruby-crowned Kinglet	40	
Sanderling Sominal model Scalin	200	Water Pipit	2	
Somipalmated Sandeipor Western Sandpipor	3	Loggerhead Shrife	2.5	
and be be	9	Eur, Starling	60	

Oct. 28 (Solitary Vireo - 1 - Lit)  Red-eyed Vireo  Red-eyed Vireo  Cont)  Varibling Vireo  Savannah Sparrou  Stack-and-white walbler  (Tennessee Warbbor 1 Te)  Chippins Sparrou  Orange-crouned Warbler  Nashville Warblor  Nashville Warblor  Nashville Warblor  Lincoln's Sparrou  Lincoln's Sparrou  Control Sparrou  Lincoln's Sparrou  Control Sparrou  Lincoln's Sparrou  Control Sparrou  Lincoln's Sparrou  Control		Cameron Parish [cont] While-eyed Vireo	2	Blue Grosbeak	1
Red-eyed Vinco  Varibling Vinco  Black-and-white walth 1  Contents of the black of the seaside sparrow  Connessee Walthor 1 to the sparrow  Connessee Walthor 1 to the sparrow  Connessee Walthor 1 the the sparrow  Connessee Walthor 1 the sparrow  Connessee Walthor	Oct. 28	(Solitary Vireo - 1- LH)			25
Savannah Spaviou 21  Black-and-white walter 1 Seaside Spaviou S  ( Tennescee Walter 1 Te) Chipping Spaviou IS  Orange-crowned Walter 1 White-crowned Spaviou IS  Nashville Walter 1 Lincoln's Spaviou II  (N. Parula 1 - TP) Swamp Spaviou II  (Pine Walter 1 - TP) [White Polican - TP]  Black-thioated Green Walter 1  ( Magnolia Walter 10  ( Am. Radstalt - 2 - DP. TP)  Tom fellowthicat 3  E. Meadowlark 20  Red-winged Blackbird 2000  Boot-taited Grackle 200  Brown headed Coubird 2000			1		1 9
Black-and-white walter 1 Seaside Sparrow  (Tennessee Walter-1.Te) Chipping Sparrow  Orange-crowned Walter 1 White-crowned Sparrow  Nashville Walter 1 Lincoln's Sparrow  CN. Parala-1-TP) Swamp Sparrow  (Pine Walter-1-TP) [White Policon-TP]  Glack-throated Green Walter 1  (Magnolia Walter-1-TP)  Hyrtle Walter-1-TP)  Com. Redstart-2-DP.TP)  Com. Pello-throat 3  E. Meadowlark 20  Red-winged Blackbird 2000  Boot-taited Grackle 200  Brown headed Coubird 100	(cont	· ·	2		20
C Tennescee Walblo - 1 · Te) Chipping Sparrov  Orange-crowned Walblo   While-crowned Sparrov  Nashville Walblo   Lincoln's Sparrov  CN. Parala - 1 · Te) Swamp Sparrow  (Pine Walblo - 1 · Te) [While Policon - Te]  Glack-throated Green Walblor    (Maynolia Walblo - 1 · Te)  Myrtte Walblo - 10  (Am. Redstart - 2 - be, Te)  Com Pellouthroat 3  E. Meadowlark 20  Red-winged Blackbird 2000  Boat taited Grackle 200  Brown headed Coubird 200	,		1	•	5
Orange-crouned Waible—   White-crouned Sparrou   Nashville Waible—   Lincoln's Sparrou   CN. Parala-1-TP)   Swamp Sparrou   CPine Waible—1-TP)   [White Pelican-TP]   Glack-throated Green Waible—   CMaynol:a	entre, tree hadde baller when the data high wife entre to tree	( Tennessee Waible - 1.	(97		15
Nashville Waibler   Lincoln's Spaired  CN. Parala - 1 - TP)		Orange-crowned Waible-	1		4
CN. Parala - 1 - TP)  (Pine Warbber - 1 - TP)  (Maynolia Warbber - 1 - TP)  (Maynolia Warbber - 10  (Am. Radstart - 2 - DP. TP)  (Am. Radstart - 2 - DP. TP)  (Com. Pello-throat 3  E. MerdowlarM 20  Red-winged Blackbird 2000  (Boat taited Grackle 200  (Brounheaded Coubird 200		Nashville Warblo			2
(Pine Walble 1-TP) [While Pelican Te]  Black throated Green Walbler 1  (Magnolia Walble 1-TE)  Hyitte Walble 10  (Am. Redstart - 2-bp. Te)  Com. fellouthroat 3  E. Merdowlaik 20  Red-winged Blackbird 2000  Boat taited Grackle 200  Broun beaded Coubird 200		CN. Parula - 1 - TP)			2
Glack-throated Green Warbler  ( Magnolia Varbber 1-TE)  Myrtte Warbler 10  (Am. Redstart - 2-DP, TE)  Com. Pello-throat 3  E. Meadowlark 20  Red-winged Blackbird 2000  Boat-taited Grackle 200  Brown headed Coubird 200		(Pine Walble - 1-TP)		and the same of th	
Myitte Walble- 10  (Am. Redstalt - 2-bp. Te)  Com. fello-throat 3  E. Meadowlain 20  Red-winged Blackbird 2000  Boat taited Grackle 200  Brounheaded Coubird 200		Black-throated Green Warb	ler 1		
(Am. Redotalt - 2-0P, Te)  Com. fello-throat 3  E. Meadowlard 20  Red-winged Blackbird 2000  Boat-taited Grackle 200  Brown headed Coubird 200		( Magnolia Haible - 1 - Te	)		
Com. fello-throat 3 E. Meadowlard 20 Red-winged Blackbird 2000 Boat-taited Grackle 200 Brown headed Coubird 200					
E. Merdowlark 20  Red-winged Blackbird 2000  Boat-taited Grackle 200  Brown headed Coubird 200		(Am. Redstalt -2-0P.	(91		
Red-winged Blackbird 2000 Boat-tailed Grackle 200 Brown headed Coubird 200		com. fello-throat	3		
Boat taited Grackle 200 Brown headed Coubird 200		E. Merdowlash	20	Manager and the second of the	a man man is an above authors
Brown headed Coubird 200					
Brown headed Coubird 200 [Pheneticus (sp) - (prob Black-headed) -1- Te]				MAN MAN OF THE STATE OF THE STA	
Phenoticus (sp) - (prob Black-headed) -1 - Te		Brown headed Coubird	200		
		Phenoticus (sp) - (prob 1	Black-heade	1)-1-Te	para alianaha sahang sayanahlani kali pingamon ((ii)- sa san saha

	[Phenotheus (sp) - (prob Black)	readed) -	-1 - Te J	alasankang, ny makhan'ilah filipamanifiki saramanka sepera pinya silasanka kasanta
Oct. 29	Gum Cove, Cameron Parish,	Louis	iana	
	Ares: Gum Cove Ranch: Mo	st time	spent checking troes ground	main
	ranch bldgs : roads north	and a	rest of ranch Time: 0900 -	1500
	Wind: 0- 5 N SHY: clear	Temp:	65-80 Obsaires: same	A STATE OF THE STA
	Species: Pied-billed Grebo	2	Com. Gallingle	10
	Neotiopic Coimpiant	1	Am. Coot	2
	Great Blue Heron	5	H:lldeen	5
	Little Blue Iteran	2	Greater Yellowlegs	1
	Calle Egypt	10	Com. Snipe	1
	Great Egret	13		1
	Snowy Egret	50	Mourning Dove	100
	Louisiana Heron	4	Bam Oul	
	Least Bittern	1	Com Screech - OH	3
The state of the s	Plenadis (sp)	20	Belled Kindfisher	2
	White Ibis	20	Com. Flicker	2
	While Fronted Goose	20	Red-bellied Woodpecks	1
	Snow Goose	2	Yellow bellied 5 apsucher	3 2
	Blue Goose	10	Eq. Phoebe	2
	Mallard	6	E Wood Pouce	(
	Gadvall	50	Tree Suallow	10
	N. Pintail	15	Blue Jay	10
	Green - winged Teal	50	Fish Crou	75
	Blue-winged Teal	75	Carolina Chickadee	. 1
	N. Shoveler	2	CRed to reasted Nuthatin 7	176)
	Am. Wigen	16	Brown Croeper	2
	Turkey Uniture	25	House Wren	5
	Black Vulture	20	Winter Wan	2
	Sharp-shinned Hauk	1	N. MocKingbird	5
	Red-tailed Haum	8	Gray Catbord	7
	N. Harrier	3	Brown Thrasher	4
	nerlia	l	(Am. Robin - 1- LH)	
	Am. Kestrel	10	Wood Thrush	1
	Com. Bobwhite	10	Hermit Torush	5

50

200

100

5

1

2

1

15

1

15

3

3

1

2

2

2

Junco

Oct. 29

Gum Come 1 Baltimore Oriole Blue-gray Gnatcatch 10 Brevis Blackhird Golden-crowned Kinslet Ruby-crouned Kinglet 50 Boat tailed Grackle Loggerhead Shille Greatitailed Grackle 0 Brown-headed Coubird 50 Fur. Starling Rose-brailed Grashoul (Uhite eyed Vireo 1 - De) 2 Indigo Bunting Solitary Vireo 3 Orango-crowned wally Savannah Sparie CN. Painle- 1- TP) 51976-colored (Yellow Warbby-1-TP) Chippins Spain Black-throated Blue Warble Clay-colored Sparies White-crowd Sparry Pine warhler Black-throated treen Warkly 2 Lincoln's Spain (Magnolia worth - 1- Te) Myrle Warbh Swamp Spallow 10 falm Marble 20 E Mendowlark Red-winsed Blackbird 500

Nov. 23

Parish, Louisiana Cameron Area: Sabine NWR holdts; east Jety of Cameron; roads in between Time: 1530-1730 Observers: Linda Hale Wind: 2-5 5 Sky: cloudy, some sprinkles Temp: 70-75 Water Pipit 10 Species: Neotropic Cormorant 4 10 Great Blue Haran Loggerhead Shrille 15 400 Eur. Starling Great Egret 8 Snowy Earet Com. Yellouthroat White Ibis ١ House Spanon 100 E. Meadowlain 5nov-Blue Goose 300 duck (sp) Ked-vinged Blackbird 16 1 Sharp-shinned Hauk 3 Blackbird Am. Kestel 100 1 Boat-tailed Gracub Clapper Rail Seaside Sparion 200 Am. Avocet Svamp Spariou Killdeen l 610ner 15 Black-bellied 2 Whimbrel 1 Long-billed Cuiler Willet 10 Ryddy Turnstone 25 Sunderling 20 1 Semipalmated Sandpiper Least Sandpiper 5 5 Dunlin 15 Herring Gull 200 Ring-billed Gull 1000 Laushing Gull Forstwis Tern 200 100+ Royal Ten 10 Caspian Teln 500 Black Skimmer 4 Belled Kingfisher Tree Swallow 1

2

N. Moc Mingbird

Remsen, J.V. 1978

> Cameron Parish Area: Cameron East Jetly; Peveto Beach Woods; "Smith's" Woods Cjust east Nov. 24 OF Johnson's Bayon Rec. Cental; marches evest of 5 mith's Woods; Johnson's Bayon Woods; roads Time: 0650-1730 Observes: Linda Hate Temp: 70-75 SMy: overcast Wind: 0 10 Species: Pied-billed Grebe 14 Caspian Tein White Pelican 15 Black Skinner 50 10 10 Neotropic Cormorant Mourning Dove Great Blue Heron 30 Belted Kingfisher 3 6 Little Blue Heron Common Flicker 10 Ca HIE Egret 3 Yellou-bellied Sapsuckr 85 Eastern Phoebe 2 Great Foret O Snovy Faret 20 Tree Swallow 4 4 Louisiana Heron Blue Jay Brown treeper Black-crowned Night Heron 1 500 10 Plegadis (sp) House Wren White Ibis 3 N. Mocking bird 20 White-fronted Goose Brown Thrasher 5 mow/Blue Goose 200 Am. Robin 2 Mallard Hermit Thrush 1 13 MoHled Duck 10 Ruby-crowned tringlet 5 Water Pigit 2 Gadvall 12 Loggerhead Shi. We N. Pintail 5 150 Green-inged Teal Eur. Starling 5 10 Orange-crowned Warble N. Shoveler 10 2 Am. Wigeon Myrtle Warbler 500 Am. Redstart 5 caup (sp) 3 Red-tailed Hawk 4 Con. Yellouthroat Red-shouldered Haul 25 House Sparrow 75 6 E. Meadowlain No. Harrier 9 Red-winged Blackbird 606 Am. Kestel 190.0 10 Bulloch's oriole Am. Coot 5 350 Black-necked 5tilt Boat tailed Grackle 5 6 Am. Avocet Red Cardinal 10 Rose-breasted Grosbeall Semipalmated Plover 10 15 Indigo Bunting Hilldeen 5 30 Black-bellied Plove Sauthnah Spallau 2 Lincoln's Sparrou Long-billed Curter 8 Swamp Sparrow Greater Yelloulass 4 Song Spalla Lesser Yellowlegs w:llet 20 Ruddy Turnstone 2 50 Common Snipe 3 American Woodcock 5 Short-billed Douitch-Long-billed Doutcher 150 100 Sanderling 5 Western Sandpiper 5 Least Sandpiper 100 Dunlin OI Herring Gull 150 Rins-billed Gull 1000 Laushing Gull 100 Foister's Tern 100 Royal Ten

Nos. 25

Eameron Parish	1) - ( )	<b>~</b> .
Aren: Cameron East Jety; Ry	ithertord	Beach
Tine: 0700 - 1200 Observes		11916
SMy: 100 overcast Temp: 65 Species: Eared Grebe		59
Pied - billed Grebe	2 10	W
An. White Pelican	100	Le
Double-crested Cormorant	5	p
Neotropic Cormorant	100	H
Great Blue Heron	45	R.
Green Heron	1	La
Little Blue Heron		Fo
Eattle Earl	2	Ro
Reddish Egret	2	Cq
Great Egret	130	BI
Snowy Egret	50	Be
Louisiana Heron	2	F. Se
Black-crowned Night Heren	1	Lo
Am. Bittern etegadis (sp)	2	E
White Ibis	8	E.
Roseale Spoonbill	J	R.
Canada Goose (feral)	100	Gr
White-Fronted Goose	2	Bo
Snow Blue Gode	40	Sa
Mallard	206	Sh
MoHled Duck	6	Wo
Gadwall	200	C
N. Pintail	1000	B
Green-winged Teal	400	
Blue-winged Teal	4	
N. Shovelen	500	
Am. Wigeon Convashad	5	
	2	
Greater Scaup Lesser Scaup	4	
Bafflehead		
Ruddy Duck	3 10	
Red-breasled Meganser	9	
Red-tailed Havy	2	
Am Hairier	2	
Am. Kestrel	2	
Clapper Rail	7	
Sora	1	
Am. Coot	15	
Black-nedled Stilt		
Am. Avocet	30	
K:lldeer	5	
Piging Player	10	
Black-bellied Plover	20 4	
Grater Yelloulegs Willet	40	
	150	
Con Snipe Long. billed bouitch	200	
Red Knot	25	
11 Cd 1 1 1 1 2 2		

andeiling rest. Sandpiper 30 300 east sandpiper 5 unlin 225 erring Gull 30 ins-billed Gull 200 aughing Gull 1300 oistells Tein 150 oyal Tein 30 60 aspian Tein 19c4 SMimmer 175 353 elled Kingfisher ish Crow edge Wren oggerhead Shille 8 ur. Starling 200 Meadowlail 15 led-winged Blackbird 350 reat-tailed Graculte oat tailed GracMe 225 avannah Sparrou 12 541 harp-tailed sparra ater Pipit ardinal Blue Jay

area; Rochefeller NUR; roads

Wind: 0-5 5

1978				
	Avery Island Iberia Par.			
١	Area: walked over much of the			
Nov. 25	the Bird Island lookout towe	Tine	: 1345-1630 Observer: Lin	da Hale
T	Wind: 0 Temp: 70 SMy: Ove			
Chiosa	Species: Little Blue Heron	15	Common Cra	30
	Snowy Egret	30	Fish Crow	100
	Cattle Egret		House Wren	2
	Louisiana Heran	2	Brown Thrasher	2
	Blue-winged Teal	50		2
	Turkey Un Hure	15		}
	Black Vulture	2		5
	Red-shouldered Hawk	(	Orange crowned worker	3
	Com. Gallingle	50		
	Am. Coot	15	Boat-tailed Grackle	5
	Hilldeer	2		2
	Yellow-shafted Flicker	1	Red-bellied Woodpedo	
	Yellar-bollied Supsyiller	3,	Cardinal	3
	Eastern Phoelog	1	Beltea Minstishe	(
	Blue Jay	2	Cedar waxving	
	Comments: The France Gardo			
			numerous ponds, extic plas	73 —
	but birds were strivingly s	carce.		
	Management of the second secon	THE HAMPHANIA A R ALPHANIA SHE	t Full contracted for heart bear in contracting to contact in a ballion of the contraction of the contract of	
۸. ۵.	10-1-6:1:15			
Nov. 26	Denham Springs, Livingston Par			and a straphic processes. It has replaced by the second
	Area: walked down an overal	(d~m 0	ld road NE of benham S	935
	in a mixed woods - mead	ov -TI	ricker situation lines of	150 - 1145
	Observes: Linda Hale Wind: 10.	153	only, 6.c. 18mb, 62-10	
times manus adal tara y serialis. Il tales assembles papa hajor en de gappap nom segor dan hassarinin o en el	Species: Killdear 1			2
			Rufous- sided Towhee	-
	Com. Crov		While-throated Sparra	5
	Carolina Chichadee	2	Swamp Sparrow	1
	Winter Won			* * ***
	House Wren	3		
territoria de la companya de destruta de como	N. Mockingbird			· ** ** * * ** ** ** **
	Am. Robin	1		
	Myrtle Walde	2		A NAME A STREET, SECOND STREET
0	111-1-1		(n) n n n	
Dec. 14	4815 Kendall, New Orleans, Lo	u is ian	a C Kobert Kaether ho	me):
	Buff-bellied Hummingbird	1	2	
		-,		
	Buff-bellied Hummingbird Black-chinned Hummingbird	1	2 () im. 3, 19) 16 (ident. assumed)	No. on the State of Spinster Spinster Spinster

Dec. 16 Cameron Area Cameron Parish Louisiana (Sabine CBC)

Area: East Jety (Walked out to within 200 yds of tip 0700-1000);

Fast Jetly Beach r East Jetly Rd (1000 1200); Mrs. Kossyn's house
in Cameron (1300-1400); Browssard Beach area (1400-1530); East Jetly Woods (15:301645); East Jetly (1700-1745). Observes: Linda Hale; PM—

Ron Stein, Melvin Weber. Teme: 60-75 Wind: 0-5 SMy: low overcest, fog,
Intermitent rain until noon; clean in afternoon Tide: Lovat 0900

45th St. New Orleans

Rufous Hummingbird

Broad-tailed Hummingbird

(Nancy NewField home):

I im.o

Dec.16

[cont area Lameron Belted Kingfisher 6 Species: Eared Grebe 1 Yellow-shafted Flicker 130 White Pelican Yellou-bellied Sapsucke 3 30 Great Blue Heron 1 Eastern Phoebe Great Egret 7 10 Blue Jay Snowy Egret 12 2 Red-breasted Nuthatch Black-crouned Night Heron 2 Gr. White-Fronted Goose 5 House Wren 2 N. Mockingbird 10 Snow Goose 250 6 Brown Thrasper Green-winged Teal 12 N. Shoveler Am. Robin 15 15 Am. Wigeon 10 1 Blue-gray Gnatestehr Water Pipit 10 Ring-necked Duck 2 7 8 Loggerhead Shrive Lesser Scaup Ruddy Duck 4 Eur. Starling 1000 Solitary Vired 2 Red-breasted Merganser 1 1 Sharp-shinned Haul Orange-crouned Waible lad. 30 Red-tailed Hawk Myitle Waible 6 Marsh Haul House Sparrow 15 5 10 Am. Kestrel E. Meadoulain 5 500 Red-winsed Blackbird Com. Bobuhite 20 35 Boat-tailed Grackle Clapper Rail 8 6 Red Cardinal 6 Biping Plove 9 Savannah Spattov 35 tilldeen Black-bellied Plover 40 2 Grasshopper Spallow 7 50 Long-billed Curlew Seaside Sparrou Willet Field Sparrow ١ 50 Greater Yellowless 5 2 Chipping Sparron spotted Sandpiper 30 2 White-throused Spallu Harris' Sparrow 1 Ruddy Turnstone 20 2 Dunlin 700 White-crowned sparrow Swamp Sparra 10 25 Western Sandpiper Least Sandpiper 35 Lincoln's Sparra 4 Sony Sparra Sanderling 75 3 Common Snipe 50 Am. AvoceL 14 Herring Gull Comments: low overcast and 175 made the walk out the Kins-billed Gull 2000 Laushing Gull extremely unproductive Bonaparle's Gull 60 0 Caspian Tern Royal Tem 10 Forsters Tem 225 Common Ten l 13 Groom-billed Ani

Dec. 17

St. Maryls Parish Louisiana Aren: lensth of parish on Hung 90; side tries to Exprement et · (Not really birding - mostly looking from road) Mi49 (10-30) N Observes: Linda Hate Tine: 0920-1330 Temp: 45-60 SMy: clear 500 Marsh Haun Species: Lasser Scarp 2 Bufflehead Am. Kestrel 8 Turley Unthune 2 Am. Coot 2 Red-tailed Haum 6 Great Egret Cattle Ejet Snowy Fort

	St. Mary's Parish [cont]			
Δ	Herring Gull	1	Eur. Starling	100
Dec.17	Ring-billed Gull	20	Orange-crowned Wateler	
÷ 7	Caspian Tern	1	Myitte Warblor	8
Crost	Forstens Tem	30	Red-winsed Blackbird	100
	Belted Kingfish	2	Red Cardinal	3
	Red-bellied Woodpecker	1	Savannah Sparrov	1
	Hairy Woodperker	t	Slate-rolored Junes	2
	Downy Woodpecker	1	While-throaded Sparror	1
	Yellow bellied Sapsucker	1	Boat-tailed Grackle	3
	Eastern Phoebe	- (	Ruby-cround Kinolet	3
	Tree Svallow	60	Rad-breasted Nuthatch	1
	crov (sp)	5	Am. Goldfinch	2
	Cardina Chickadee	2		
		1	Am. Woodcock	,
	House Wien	2	Red-shouldered Haul	
	N. MocKingbird			
	Am- Robin	10	The state of the s	op HT Fellow - Austr - Norman Surface soon for for HT - are success an anti-of-field distributions and
	Blue-oray Enateather	9		
	Loggerhead ShriMe	Market and a service of the service	the second of th	AND THE STREET ST. ST. ST. ST. ST. ST. ST. ST. ST. ST
	University Lake E. Baton Ro	van Par	Louisiana	
	Time: 1600-1640 003	and the state of t	inda Halo	taki sar sat tang pemerika ka <sup>ta</sup> ndap dakipendan <sup>a</sup> tak dilak katangip (pembalah dalah dapan pemerika katangip dan sara
				3
	Species: Pied-billed Grebe	5 O	not in the	3
	Gieat Egret	, 9	Red-headed Woodpectle	
	Redhead		Tree Svallar	16
	Ring-necked Duck	40	Blue Jay	)
	Lesser Scaup	240	Com. Grackle	
	Canvasback	3		
	Ruddy Duck	500	Market Committee	MAX LOS 17 MINS A A MINSON NO VALUE OF M. 1. SE
^ '	Denver	- 1		
Dec. 21				An Manachia agaignaturane An Minachia an Jagaine
	Time: 1530-1600 Wate: 999	o frozen	Observers: Linda Hale	
	Species: Canada Goose	400	Am. Coot	1
	Mallard	200	Ring-billed Gull	25
	Gadvall	15	Rocu Dove	10
	N. Shoveler	430		
	Com Goldeneye	37		
	2		- 1	
	Barr Lake State Park, Adar	ns Co.	-010.	
	Areg: walked in from south s			
	on S. share Time: 103	30-1230	Uind: 0-55 Temp: 40-51	5
	SHY: clear Observers: Lind	la Hale		
	Species: Pied-billed Grebe	l	Great Horned Onl	2
	Canada Goose	400		2
	Mallard	10,000		2
	N. Pintail	500		3
		2		3 5
	Am. Wigeon	5	Black-billed Mappie	25
	Com. Goldenege	3		4
	Com. Merganser	3	The pool mention	T
	Red-tailed Hawk	7.	Brown Creeper	10
	Bald Fagle	3	m. Eur. Starling	10
	N. Harrier	9	W. MeadoularM	10
	1 1	•	11	
	Am. Mestrel	2.	House Spanou	
	Am. Mestrel Ring-necked Pheasant Herring Gull	2 1 2	Red-vinged Blackbird	700 20

r.V.	J 6	purnal		
970				
978				
	Barr Lake [cont]			
•	An. Goldfinch 2	5000	5 Sparrou 6	
Dec. 21	Tree Sparrou 60		Mey-Town Rd	
~ ·	Dark-eyed Junco 10	For	1000	
Locat	While-crounedsparrou 1	Fen	rusinous Haull 1	
			(1, 1, 1, 00	
Dec. 27	Wet Mountain Valley Custer			
	Area: towns of Westeliffe and	5: luer Clif	f; farmlands i ranch	lands
	of the valley; conifer - uspen of valley! Time: 0700-150	woodland	s around periphery	
	tre: 0700-150	00; 1530 - 1	100 wind -0-5	
	SMy: clear Temp: -10+0+1	0 Observers	· Laurence C. B in tord, Bi	ob Hadlag.
	Species: Mallard			550
	N- Goshauk	1 im.	House Sparrow	)
	Roush-legged Haul	27	W. Meadowlain	,
!	(Bald Eagle - 1 - LCB) Prairie Falcon	1	Common Grackle	2
		1	Gray-crouned Rosy Finch	. 1
	Am. Kestrel Rod Dore Belled tringfisher	39	Black Rosy Finch	i
	(Com. Flickr-1- LCB)		Brown-capped Rosy Find	115
	Hairy Voodpecter	3	Pail-eyed Junco	3
	Downy WoodperHo	2	Lapland Longspun	1
	N. Three-toed Woodpecko			
	Horned LaiM	35		
	Stelle's Jay	7		
	Black-billed Maspie	64		
	Com. Karen		- Com Crow	46
	Black-capped Chickadee	4	Claim's Nuteracker	1
	Monntain Chickadee	163		
	White-breasted Nuthatch	74		
	eysmy Nuthatch	,		
	Northern Shrille	l im-		
Pec. 30	Boulder area, Boulder Co. Co	10		
<b>P</b> (C. 50	Ares: C. U. campus; W. side sub	The - Cha	stague · Valment Res. (	visihilih
	reduced due to steam) Time:	0720 - 10	Obsolver: Store	
	Wind: O SMy: clear Temp: -1	10 to -5	37016	ra 12 av
	Species: Canada Goose	3006	House Finch	30
	Mallard	50	DaiNeyed Junco	4
	Com. Goldeneya	4	Gray-headed Junco	6
	Am. Coot	ľ	While-throated Sparro-	, )
	Belled Mingfish	1		
	Com. Flicker	1		
	Harry Woodpecker	(		
	Horned LaM	200		
	Blue Jay	1		
	Stellers Jay	4		
	Black-billed Magpie	6		
	Black-capped Chickade	4		
	Am. Dippo	2	The state of the s	. (
	Am. Robin		. Townsend's Solitaine	1
	Golden-crouned Kinglet	2		
	Bohemian Waxwing	20 30		
	Eur. Starling	50		
	House Sparrou Cassials Frich	20		

1978

	Pueblo West, Pueblo Co	Colo		
	Area: Pueblo Reservoin; Pinjan-jur	nor woods	nr. reservoin; roads	
Dec. 31	Time: 0730-0900: 1530-1600	Obser	es: L.C. Binford Jack Red	dall
	Time: 0730-0900; 1530-1600 Van Truan Wind: 0-10 sky	orecast	Temo: 0 - 10° Wate: 25%	open
	Species: Mallard	1	Com. Ravon	1
	Am. Wigeon	2	Black-billed Maspie	5
	Ring-necked Duck	40	Horned Lail	50
	Com. Goldeneye	6	Am. Goldfinch	4
	Am. Coot	25	Pine Sistin	100
		3	Slate-colored Juno	
	Herring Gull			25
	gull (sp)	40	Oregon Junco	2
	Great Hoined Oul	`	While-winged Junco	
	Scrub Jay		Tree Spariou	5
	Plain Tithouse	1		
	Pueblo to Rocky Ford, Colora	do		
	Aren: Hwy 50 to Rocky Ford, Sug	ar City, C	Game And Time: 0900 -	1500
	Werther same Observes - same	Jeng Torus		
			Manada's Chiellan	2
	Species: Canada Goose Mallard	30	Mountain Chickadee	3
	·	1	Am. Robin	
	Com. Merganser		THE PERSON AND A PARTY OF THE PERSON AND ADDRESS OF THE PERSON ADDRESS OF THE PERSON AND ADDRESS OF THE PERSON ADDRESS OF THE PE	2
	Sharp-shinned Haul	2	Northern Shrike	7
	Cooper's Haux	2	Loggarhead Shrille	1154
	Red-tailed Haum	13	Eur. Staling	456
and the second s	buseo (sp)	5	House Sparrow	385
	Roush-leased Haum	9	W. Meadowlail	92
	Ferry inous Haul	2	Red-winged Blackbird	125
	Northern Harrier	11	House Finch	2.
	Prairie Falcon	3	Am. Goldfinch	45
	Am. Mestrel	33	Rufous-sided Touhee Copoth	a) 3
	Am. Coot		Oregon Junco	2.5
	Killdeen	(	Slate-colored Junes	7
	Rock Done	81	Tree Sparrou	62
	Mourning Dore	2	White-crowned Sparrow	34
	com. Flicker	25	( Swamp Sparray - 1 - LCB	
	Levis' Woodpecker	1	Song Sparrou	12
	Doung Loodperker	1	0 (	
	Horned Lail	110		
	Blue Jay	4		
	Solub Jay	4		No. 10. Supple Service St. Securit Sec. Sec.
	Black-billed Magpie	64		
	Com. Crov	3		N 2011 A 2011 A 1011 A
	Black-capped Chickadea			
				Michigan and Anna Share Section of Anna Section of the Section of Section 1997.
Dec. 29	Sloan's Lake, Jefferson Co., Co	10		proportional surface () the committee outs on a conformal party or consequence
	Canada Goose 35			
	Mallard 25			
	N. Shoveler 400			
	Com. Goldeneye 21	4		
	Am. Coot			
	Ring-billed Gull	18		W WY NOTE & SHOW NO R. THE SEY OF GROWING
	Herring Coull			
	Rock Pove	10		



#### Yellow-billed Loon Gavia adamsii

Feb. 12 Monterey Bay boat trip, Monterey Co., Calif.: I seen within I mile of shore between Hopkins Marine Station and Lover's Point. I was going over loon identification with a beginner when the bird appeared conveniently next to a common Loon just studied. It was the basic size and shape of a Common Loon but seemed larger, longer billed, and thicker-neckled. The bill was distinctly yellow, not pale grayish as in pale-billed Commons; the distal 14 of the upper mandible seemed particularly yellow; the culmen was clearly seen to be pale for at least the distal 1/2 (S.F. Bailey from the bridge was able to see that it was pale for its entire length); the rest of the bill was dull yellowish except for some dusty on the sides of the basal 1/3 of the upper mandible; the upper mandible was very straight except for a slight droop at the tip; there was a noticeable gap between the two mandibles when viewed from the side. The rest of the plumage did not appear to differ noticeably from Common Loon (perhaps closer study without pouring rain and wind would have yielded further differences), except that there was a dark smudge in the quricular area which contrasted with a paler brown facial area. The bill was also held at a slightly upward angle. When flushed, the bird seemed very ponderous - very slow, labored wingbeats and large body. It dove and came up hundreds of yards from the original spot, repeated this 2-3 times, and finally eluded us completely; it was able to stay underwater for very long intervals.

The bird was studied from as close as 40 yards (but more often 50-100 yds) for at least 3-4 minutes

Yellow-billed Loon Gavig adamsii

Monterey Bay boat trip [cont]

Feb. 12 of critical observation, but soon after became decidedly [cont] uncooperative.

The only other large-billed loon, the Common, has an all dark culmen, lacks the auricular patch, when the bill is pale it is grayish not yellow, etc.

Red-throated Loon Gavia stellata

	Chyamaca Lalle, San Diego Co., Calif: 1 - very unusual
**** * * * * * * * * * * * * * * * * *	locality. Small loon with pale back and crown, eye in white of
the way make the of	face, small bill upturned.
torial first to the second second second second second second	- Tana -
V 570000 V 5000 V V VV VV V V V	
NE da No. Politica de para por primir por primir.	
THE BOOK AT N. DAVIS PROC. TO 1 Vide Appeal	
PARTY IN P. 104 SHAPE IV. Spr. N. H. W. W.	
The second section of the second section is	
Personal Space and Superior of the Standard Confession	
No. of Makes 1977, which the second of the s	

•		

Horned Grebe Podiceps auritus

June 2	Pt. Reyes, Marin Co., Calif: I in full breeding plumage with
and the second s	Suif Scoters at Fish Docks. Very late or summering
gir yang di dagamangan kan at ini daman da ini da i	
ada didiking na katalan sa	
and the second s	
er Annyakkan magada eskir kilin ilin ilin ilin ilin a	
The second secon	

ı			
			1

# Black-footed Albatross Diomeden nigripes

March 31	Pigeon Point, San MadeuCo., Calif. 6 seen behind
	Freightes (3 + 1 w/o albitrosses) going north along coast
	Boat trip to Farallon Islands, Sun Francisco Co., Calif: I flev
	east our sailboat u 4 mi. E of Farallons.



## Pink-footed Shearwater Puffinus creatopus

Jan. 14 Monterey Bay boat trip, Monterey Co., Calif.: 3 - extremely unusual in winter, but there have been several reports recently on Christmas Counts. Flying with Manx For direct comparison.

March 31 Pigeon Point San Mateo Co. Celif: 1 75



#### Manx Shearwater Puffinus puffinus

- Jan. 5 Monterey area, Monterey Co. Calif.: 2 moving west past
  et. Pinos small shearwater with rapid winghest, very daily
  above, pale below.
- Jan. 14 Monterey Bay boat trip Monterey Co. Calif: 6 amazing for winter in Monterey Bay, but numbers were extraordinary 195t 2 moths of '76.
- March 31 Pigeon Point, San Mateo Co., Calif: 1 7 5, family close to Shore; rapid wing beat, small size

1			

#### Ashy Storm- Petrel Oceanadroma homochroa

July 12 San Francisco Bay, Alameda Co., Calif.: I seen < 20 ft.

From boot about I mile outside Berkeley marina.

Flushed off the water, whence it flew off in the direction of the abandoned gier. Clearly a medium-sized all dark petrel - all dark rump and forked tail - gestalt of Ashy, not Leach's. Amazing record inside S.F. Bay.

		,	

Remsen, Black Storm- Petrel J.V. Oceanodroma melania 1978 Apr. 29 Pt. Loma, San Diego Co., Calif: 100 41 mi from shore unusual so close to land,



# Reddish Egret Egretta rufescens

Apr. 25	San Diego area, San Diego Co., Calif: 1 at mouth of
	San Pieso river - present here since Oct. 1977.
white a	greson made dell's el.
A	
MIT AND AMERICAN AND AND AND AND AND AND AND AND AND A	
Makandra, and Amagine State Papageon - State Sta	
and the first state of the stat	
THE STATE AND SOLD IN	
annell selves, p. 18.7 p. 18.7 p. 18.5 percent per la	
are and the second seco	
Adam and the second and the second are the second as the s	
**************************************	
Marked to some and all all all a property and an area	
Manager theory angular angular and the second secon	




).	Remsen, J.V. 1978	Cattle Egret Bubulcys ibis					
	Feb.25	Arcata, Humboldt Co., Calif.: 10 in Arcata Bottoms					
)							
	and the second residual second to be selected.						
Pleasant							
<b>)</b> —							
		Secretary of the second					



# Roseate Spoonbill Ajaiq ajaja

Jan. 14 Castroville, Monterey Co., Calif.: I imm/sub.-ad. in flooded
artichoMe fields between Molera Rd. and Castroville where
it has been for 2 weeks: Obvious spoon-tipped broad
bill, wings mostly pink with hint of dark tip; head seemed
mostly white.



		•

Black Brant Branta bernicla nigricans

Apr. 27 North End Salton Sea, Riverside Co. Calif: 3 - rare but regular at Salton Sea in spring.

Apr. 29 North End Salton Seq: 6

Emperon Goose Branta canagica

Jan.1

Point Reyes, Main Co., Califi: 3 in ad. plumage at E. end of Limantour Estero. Watched for 20 minutes through telescopes from edge of parking area. Head and neck white; throat solid black, breaking up into black and gray barring on neck ; bill pinkish, short, very triangular; underpaits black and gray barred; upperposit similar but greater distance between black bars; legs bright orange-yellow; tail white.



Re	msen
7	.V.
10	178
play special tra	A
a' www.aktirusterv	Apr.

## Snow Goose Chen Caerulescens

Aq1.27	North End Salton Sea, Riverside Co., Calif.: 11 - extremely
A 16 A1 NA A	late. All birds apparently can Fly.
Aer. 29	North End Salton Sea: 10 (1 of the birds on 27 Apr. was almost
	certainly a Ross'
NA MATERIA MATERIAL PART I MATERIAL REAL PROPERTY AND ADDRESS OF THE PART OF T	
andida sa an namanan'ny fisiandronan'n Anny i ao i ao	
Angeles springer in 21% formulation assembled call in delice conditions.	
ng pagganahan dan pagganah pagganah pagganah dan pagganah dan pagganah pagganah pagganah pagganah pagganah pag	
4.0000000000000000000000000000000000000	
all may a fine families	
and the state of t	
Management and the property of the Association and Association	



Remsen,
J.V.
1978

Ross' Goose Chen rossi

1978							
Apr. 29	North End Salton Sea, Riverside Co., Calif: I with 10 Snow Geese						
	at mouth of Whitewater River - late, and few records for						
	Riverside Co.						
At the state of th							

			N

Remsen,
J.V.
1978

# Eurasian Wigeon Anas penelope

Jan.3	Golden Gate Park, San Francisco Co., Calif.: 18- FIX Glen
AL MIN TO A	Lalle
And the second of the second o	
And the second of the second o	
· · · · · · · · · · · · · · · · · · ·	
Market	
File to the second to the second second second	

, '		
		•

Wood Duck

Aix Sponsa

Jan. 3 Golden Gate Park San Francisco Co. Calif. : 17



#### Tufted Duck Aythya fuligula

Jan. 2 Lalle Merritt, Alameda Co., Calif: 18 at eastern end of lalle where it has been for 2t months. Tuff is much less prominent now than when I saw the bird in late.

October

Jan. 3 Lake Merritt: 18 (same bird)

Point Reyes, Marin Co. Calif. I imm. of in freshwater pond next to road just 5. of partring lot. In addition to a very small tuft, the entire bill tip was black and the back was a very uniform blackish-brown, probably darker than most scaup. [this combination climinating scaup]. The head was more ov-less scaup-shaped [eliminating Ring-necked Duck]. The bird was thought to be an imm. of due to the presence of some patches of white feathers along. Flanks. Iris pale (100Ked Jold)

bill
blue-gray
with solid
black tip

E short tuff

trace of sketch made during observation

(no triangular)



sides varying shades of brown \_ some areas looked nearly pure white, especially towards rear.

The bird was studied for 15 minutes with a scope, but high winds made precise accuracy of details hard to note, The bird looked about the same size as a nearly Lesser Scaup, although this bird's hill looked proportionately larger, This is almost certainly the same bird found here early in January by Richstalkup and at that time showed no traces of male plumage.



## Greater Scaup Aythya marila

978	741114
	San Diego area, San Diego Co., Calif.: 37 + 19 on San Diego bay just N. of e. end of Coronado Bridge, where they
	were discovered weeks ago. Large bill nail, rounded heads.  San Diego area: 4 (same birds)



Barrow's Goldeneye Bucephala islanding

Jan. 2 Lave Merritt, Alameda Co., Calif.: 17
Jan. 3 Pacific Maring, Alameda, Alameda Co Calif.: 433

,			

Bufflehead

Bucephala albeola

June 18 Palace of Fine Arts, San Francisco, San Francisco Co. Calif. = 1
on the lake - a ratty-looking &, apparently summering

## Harlequin Duck Histrionicus histrionicus

Jan. 14.	Monterey area, Monterey Co., Calif. : 12 at rocks at Hopkins
	Marine Station - Few records for Monterey Co. We watched
	it both from the boat inshore and for 5-10 minutes
	from shore at close range at Hopkins

			•	
1				
١,				
·				
			•	

Remsen, J.V. 1978	Suif Scoter Melanitla perspicillata
	Cuyamaca Lalle, San Diego Co., Califile; very rare inland,
	especially away from Salton Sea.  Cygamaca Lake: 10

,			
•			
		,	

Black Scoter Melanitta nigra

Melanitta nigra Jan 14 Monterey area Monterey Co., Calif. : 18 - Hopkins Marine Station Jan. 21 Bodega Bay Sonoma Co. Calif: 19 Apr. 29 Playadel Rey, Los Angeles Co., Calif. : 1 in. or

·			
		•	
			•

Hooded Merganser Mergus cucullatus

Jan. 21 Pt. Reyes, Marin Co., Calif. 18+30 - Five Brooks Stables
Mar. 18 Pt. Reyes: 18+30 (samebirds, sameplace)

,			
		•	

#### Sharp-shinned Hawl Accipiter striatus

Apr.29 Banner Grade, San Diego Co., Calif. : 2 soaring together above riparian. Very late for migrants - nesting?

Oct.29 Gum Cove, Cameron Parish Louisiana: 1

Nov. 23 Cameron Par., Louisiana: 1

Dec.16 Cameron area, Cameron Par., Louis: 1 ad

Dec.29 7160 W. 9th Pl., La Mewood, Jefferson Co., Colo: 1 ad.

Dec.31 Pueblo to Rocky Ford, Colo: 2

Remsen,
J.V.
1978

Swainson's Hawk Buteo swainsoni

Charles to the contract of the second	**************************************
Apr.29	Borrego Valley, San Diego Co., Calif. : 3 - late migrants.
Addings (1971) by Articology (1971) and the second	
- Sharehand Share San Care Share Sha	
Manufacture of the American Community of the Community of	
The second secon	
The second property and the second of the se	

			•

## Rough-legged Hawll Buteo lagopus

	10 1 10 10 10 10 10 10 10 10 10 10 10 10
Jan.	Point Reyes, Marin Co., Calif: 1 - Limantour Estero
	Castroville, Monterer Co. Calif: 7 counted in gan at once between
	Molera Rd. and Castroville in articholle fields
Feb.25	Arcata, Humboldt Co., Calif. : 5 in Arcata Bottoms - (I dan phase)
	The second of th
	The state of the s
and the second of the second o	AND THE RESIDENCE OF THE PARTY

			•	
			•	
		•		

Golden Eagle
Aquila chiysaetos

Jan. 19 Three Rivers, Tylane Co., Calif.: 2 ad.

Apr. 25 Lave Cuyamaca Son Diess Co., Calif: 1

Apr. 29 Banner Grade, San Diego Co. : 2

Lave Cyyamaca: 1

### Bald Eagle Haliaeetus leucocephalus

, , ,	
Jan.19	Bravo Lake Woodlake, Talare Co., Calif.: 1 ad.
Dec. 21	Bair Lake St. Paik, Adams Co., Colo: 7 im.
and a fact to be a second of the second of t	
St. Annia 1 Ad St. Agenciani y militari anciani provinci	
The state of the s	
Material I I Suppose I Make Material	
and all & 1 at also be to the secondary again, according to convening special	
110	

Remsen, J.V. 1978	Peregrine Falcon Falco peregrinus
	Accata, Humboldt Co., Calif: I imm. at mouth of Jacoby Creek.
	San Diego area, San Diego Co., Calif.: 1 - San Diego R. channel
F. S. S. C. S.	
and the second s	
Security of the security of th	

Remsen,
J.V.
1978

## Merlin Falco columbarius

Feb.25	Arcata, Humboldt Co. Calif.: I at mouth of Jacoby
	Cree M.
Oct. 28	Cameron Parish, Louisiana: 1 at Sabine NWR, Inr. Holly Beach
Oct.29	Gum Cove, Cameron Parish, Louis.
Maria II. I I I I I I I I I I I I I I I I I	
Many because the second of the second	
Mark Inc. of the Control of the Cont	
ge spelage til hand myrkelindere og for fleshet tillhette statt i å strag	

	,		

#### California Quail Lophortyx californica

1978	Lophortyx californica				
June 2	Pt. Reyes, Marin Co., Calif: I heard calling Cdefinitely not a				
	Starling) in draw w. of Nunes Ranch - this is much				
and the second s	Further out on Pt. Reyes than I've ever seen this species. Perhaps this year's heavy rains and consequent lush growth				
	encouraged the expansion of the quail-				
Special Control of the Control of th					
The second secon					

,			

Black Oystercatcher Haematopus bachmani

Apr. 29	Pt. Loma, San Diego Co. Calif. : 1 - very few records for
	San Diego Co This bird has been seen off and on for
ALL ALM SERVICES WAS PERSON IN	a couple of months
The state of the s	Playa del Rey, Los Angeles Co., Calif.: 1 - heard at night
	on outer breakwater.
and a second	

i			
,			

Remser	
J.V.	
1978	
and approximately find the first through the second	

#### Ruddy Turnstone Arenaria interpres

Apr. 29	North End Salton Sea, Riverside Co., Calif: 10 - very rare inland.
	All in full breeding plumage
	Salton City, Imperial Co., Calif: 1
4 10/10/10/10	
Militaria de la composició de la composi	
Advantage of the second	
•	



Remsen Lesser Tellowlegs J.V. Tringa Flavipes 1978 Castroville Sevage Pond, Monterey Co., Calif.:1 Feb. 12 Apr. 25 5an Diego area, San Diego Co., Calif.: 1 - Silver strand



#### Red Knot Calidris canutys

Apr. 27 North End Salton Sea Riverside Co., Calif: 3 breeding plumage Salton City, Imperial Co., Calif: 50 - (45 hnoeding plumage) Apr. 29 North End Salton Sea, Riverside Co.: 50 - unusual inland Salton City: 30



Remsen, J.V. 1978	Rock Sandpiper Calidis ptilocnemis
Jan. 21	Bodega Bay Sonoma Co. Calif.: 2 - Bodega Head parking lot
The second section of the second section of the second section	


		•
		•

### White-rumped Sandpiper Calidris Fuscicollis

June 3 Monterey area, Monterey Co., Calif.: I at the mouth of the Carmel River where found yesterday evening by Jeri Langham. We arrived at dawn and watched the bird feeding on the small mudflat for an hour and a half through scopes from 50 to 200 ft. In overall size and shape, the bird seemed identical to a Baird's Sandpiper: a large peep with noticeably long wings and a seemingly long body. This bird also seemed very fat when viewed head-on: almost turtle-like in shape:



head-on view to show "squat" profile



The above sketches were traced from sketches made while watching the bird through the scope. The bill, legs, and ivis were blacklish. A dark loral area and dark, striped crown set

#### White-rumped Sandpiper Calidris fuscicollis

Monterey area [ront]

June 3 off a white eyebrow. The face was a pale grayish with the palest area in the lower cheek area. The breast was strongly striped, little a Pectoral Sandpiper except that the background color between the stripes was white, not buff. The breast stripes ended abruptly and the remainder of the undergaits where white, except for disintegrating stripes and spots along the sides to the upper flands. The back was striped dark brown with some buffiness between stripes. The wings were brownish with many of the couests dail-centered and pale-edged; the folded primaries appeared a solid dark brownish. In flight, the rump supportail corrects area was white and the tail was dail. That the rump was completely white was clearly seen twice in flight and also once when preening the rump area.

> The white rump eliminates any other small shorebird except 3 species which have longer legs and bills and are larger in body size Colus many other major and minor differences): Curley Sandpipe, Vilson's Phalarope, Stilt Sandpiper. The only species remotely similar shape, Curley Sandpiper, lacks conspicuous breast streaks and has a decurved bill. The call note of the Cunter Sandpiper is not unlike other Calidris whereas the distinctive call of the White-rumped is unique among shorebirds - I'm familian with both. The Carnel bird gave a call totally unlike that given by any shorebird I'me ever heard - a very high-pitched squeak similar to call note of Costa's Humminsbird.

### Ruff Philomachus eygnax

Jan. 5 Monterey area, Monterey Co. Calif.: 18 in rockly intertidal

w/2 mile 5 of Ct. Pinos off Sunset Dr. — a

large, chunkly shorebird with very long, bright orange legs

Oval white patches on sides of base of tail very

conspicuous in flight; bill dark, size and shape of

Greater Yellowlegs more or less; upperparts grayish-brown

with each, Centher on the back thinly margined with pale

buffy; front part of fare whitish; indistinct eyeline;

underparts grayish-white. Present here for It week.

Found on Monterey CBC by Parmeters.



Ruff 5 January 1978 nr. Pt. Piños, Monterey Co, Calif.

Black Turnstone in background



Ruff 5 January 1978 nr.

nr. Pt. Piños, Monterey Co., Calif.

### Black Stimmer Rynchops nigra

July 20	Alvarado salt ponds, Alameda Co., Calif: I with Caspian
Securi Science 1 And Scientiff Sec. 1 Acc.	Tern colony; found here this afternoon by Duck Erickson.
mana managaman (Catalanna a managaman	Mobbed us, with the Caspian Teins, as if it were
	defending the colony. Fantastic views as close as 30ft
	Photographs should obviate necessity of further description:

)	Remsen, J.V. 1978	Glaucous-winged Gull Larus glaucescens
	Apr.29	North End Salton Sea Riverside Co., Calif: I first-yr very rare in land. Winstips pale brown,
)		
-		

## Herring Gull Larus argentatus

Apr. 23	Cuyamaca Lake, San Diego Co., Calif.: I first-yr. bird -
	very unusual locality

		•	

Remsen,	
J.V.	
1978	

#### Franklin's Gull Lavus pipixcan

Apr.29	North End Salton Sea, Riverside Co., Calif.: 1 ad. in full
	breeding plumage [pink tinge on helly, full blackish head]
	at mouth of Whitewator River
and an annual tracker in the Administratory from the set of the	

		·	

#### Black-headed Gull Larus ridibundus

Feb. 25 Arcata, Humboldt Co., Calif.: I ad. at Mad River Slough bridge in the Arcata Bottoms. This bird has been present for a week, but had been identified previously as a Franklin's Gull. Mike and John Parmeter found the bird last weekend and although they had identified it as a Franklin's at the time, they realized that evening that it was not a Franklin's after consulting literature. However several other people subsequently looked at the bird and had concluded it was a Franklin's.

When we arrived at the spot, Jon Dunn took one look at the bird sitting on the mud several hundred yards away in miserable, glare plagued light and instantly called it a Black-headed Gull. Lacking Jon's recont extensive experience with this species in Europe (and Jon's field J.D. skills), I couldn't say it was a Black-headed for sure, but offered to swim across Mad River Slough if the bird was a Franklin's Corany other N. American gull). It was sitting on the mud with 3 Ring-billed Gulls and 3 Mew Gulls. It seemed to be smaller than a Ring-billed but larger than a Mew. The mantle color was virtually identical to that of the Ring-billed Gulls (pale gray), and definitely darker than the Mew Gulls; and so it could not be a Franklin's Gull, which has a very dark gray mantle, and should appear smaller than Mew.

While Jon went to find the other carloads of birders in the area, I stayed and studied the bird in much better light and at a closer distance (~200 yds) through the scope as it was swimming on the water. The shape of the bird

#### Black-headed Gull Larus ridibundus

Arcota [cont]

Feb.25 [coil] was not right for Franklin's - the head was too small and pointed and the wings too long; the neck was too long and skinny - the whole bird just looked too long and tapering for Franklin's - which to me looks short-necked, round-headed, and stocky:



the dail of the head arches upward shaiply on the nape.

The head was mostly blackish gray, especially on the crown whom: I was darkest; the forehead and an area below the eye were still whitish — breeding plumage not yet complete. There was a white eye-ring, but I couldn't tell if it was complete. The bill was dark-tipped but, basally dark orange-brown to reddish-brown depending on the light.

when everyone arrived, the bird was flushed and we were able to see the wing pattern from above and below. It was difficult to ascertain the exact pattern in the primaries in flight and so what follows should not be interpreted as 100% accurate - we never had what I consider a truly satisfactory study of the primary pattern. The ving pattern description also

### Black-headed Gull Lavus ridibundus

Feb. 25 includes details seen when we returned late in the [roit] afternoon and watched the bird flying around the slough for 20 minutes, but never closer than 200 yds.

Upperwing

leading edge of wing white. This edge in the primaries was not as conspicuous as on Bonapastels Gull or

field suide picturer of Blacy-beaded

at least 5 outsmost primaries were black-tipped

Underlying:

test of underwings
dusly grayish.
This contrast was
not always apparent—
only in good light

at least 5 outermost primaries were also daily basally, daily than the rest of the dusty underwing

Also, when the bird was sitting on the water, the underside of the outermost primary could be seen when the bird was facing away from me, and it seemed to have a black border characteristic of vidibundus:

	,	

# Little Gull Larus minutus

Feb. 25 Arcata, Humboldt Co., Calif: I ad. was seen at the noith edge of EureMa at the wood-scrap soulpture" area along the shore of Humboldt Bay. It was watched as it fed at a distance out over Humboldt Bay for 1/2 hour and was studied as it perched on the shoreline for 3-4 minutes. It was almost always seen with 4 Bonapartels Gulls providing good comparisons. While resting with Bonapartels, it slightly smaller and shorter-legged and the nape was duskier. In flight, the blackish underwings were conspicuous, even as far as 1/2 mile away feeding out over Humboldt Bay. The underwings looked all blacklish except for a narrow white border and a white tip. The uppervises were uniform gray with white tip. The wings appeared shorter and blunter in flight than Bonapaile's Gull. It foraged by flying 15-30 feet above the water, flying in a straight line, and suddenly wheeling and banking downward to the water surface, where it would alight momentarily and then resume Cruising

The small size and black underwings eliminate all other gulls in the world

			·

# Xantus' Murrelet Endomychura hypoleuca

Jan. 14 Monterey Bay boat trip, Monterey Co. Calif.: 2 - white below, uniform dark above (no contrasting gray back) - obviously Craveris / Xantus' types, but not seen well enough to eliminate Craverls with 100 70 certainty - but no dark projection into breast as in Craveris and Mike Parmeter said they had lots of white on underwings. Xantus' very rare in writer, but no records for Craveris.

		•
	,	

Remsen, J.V. 1978	White-winged Dove Zenaida asiatica
Oct. 28	Cameron Parish, Louisiana  1 at Pekedoux Beach woods - watched for 5-10 minutes before Flyshed.
)	

Remsen, J.V. 1978	Inca Dove Scardafella inca
Oct.28	Cameron Parish, Louisiana  Two at Pekedoux Beach woods where studied for several minutes at 30ft.

		•	

#### Groove-billed Ani Crotophaga sulcirostris

Dec.16	Cameron area, Cameron Par. Louisiana 13 - E. Jety Woods
Approximately the second of th	
man and the second seco	
The second secon	
The later programme and commission than the program that paths there is not in	
Control Control of the Control of th	
And of the Assessment of the Control	

	·	

Snowy Owl Nycten scandiaca

Feb. 25 Arcata, Humboldt. Co., Calif: 10 was studied for

20 minutes perched near the top of a spindly, tall

conifer in a clump of trees in Manila bordering the

coastal sand-dunes.— An enormous white owl with

brown barring over the entire lower breast and belly,

and blacklish-brown rows of markings over the entire

wing surface and backl. There were also a few darkl

flecks on the head above the eyes on the crown.

The iris was yellow. The feet and toes were feathered

white - no claws visible. The bird was silling in the

sun and fluttered its gular area at regular intervals;

the wings were also slightly drooped and held outward from

the body; the ventral feathers seemed slightly compressed—

the bird soemed to be having a hard time in the torrid,

be windless 60° weather.

A brief study of skins at MVZ indicated our bird could have been an imm. of, ad. 9, or pointages imm. f. Fall imm, ffs are more heavily barned - barring is broader and extends in to breast.

		•		
		, ,		

#### Northern Saw-whet Owl Aegolius acadicus

March II Coyote Hills Reg. ParM, Alameda Co., Calif.: I sitting in small, dense ornamental tree on lawn at visitor center where it was found earlier this morning. It was approached to within a foot, as it slept on a small horizontal branch at the lower edge of the tree about 7ft off the ground. It was perched about 2 feet in from the outer shell of the foliage.

The tree wash fairly clease foliage. This is almost certainly a migrant at this locality, which has only small patches of low trees and a few tall planted pines:

March 2a Coyote Hills: 2 birds in separate trees - same area.

Apr. 2a Mt. Paloman St. ParM, San Diego Co., Calif.: I at entrance to

Fry Creek Campground; responded vigorously to initations -

face - but we could never get a light on the perched bird

it dove at me 3 times, coming within inches of my

		· .	

# Blue-throated Hummingbird Lampornis clemenciae

Three Rivers, Tulare Co. Calif. 19 at a feeder on Heidi Rd where it has been present since Christmas. We saw the bird as soon as we arrived and saw it 20t times in the hour we were there. Description: upperparts shining green, becoming bronzy on lower back and rump; vings blackfish; face dail grayish with very well-defined white superciliary arching downwards posterior to the eye and another white streak below the eye from near the bill to below the eye — this lower streak was not as broad and in between the two stripes, the face was a dusky, dail grayish conspicuously the underparts seemed a very uniform gray; vent area white, surrounded by greenish gray; upperside of tail shining dail blue-green, hue changing according to angle of light; the outer tail feathers were conspicuously tipped white; when perchad, all of the tail feathers visible from the upperside were narrowly tipped white; the underside

face pattern:
da. Mer grayish masy
bordered by white
stripes above and
below

underparts uniform gray - bionze tinge on lower back

- iridescent olive-green

dail dull but shining

of the tail was mostly white with a dark base >

The bill was blackish. The overall size was much,

much larger than any hummer normally occurring in California;


#### Blue-throated Hummingbird Lampornis clemenciae

Jan.19 [cont] Three Rivers [cont]

it seemed to be nearly twice the length of a nearby Annals Hummingbird and at least as long as a nearby Oregon Junco. In flight the tail seemed proportionally longer than that of other hummers in Calif. The rapid opening and closing of the tail feathers highlighted the white tail tips on the outer tail feathers. The call note, heard about every 10 minutes, was peeell. 's, a whistle series of very high-pitched with a slight upward in flection, usually 2-4 given in a series with intervals of about I second. Also given was a lower-pitched "phew!" whistle when chasing other birds from the feeder. It chased all other birds from the hummingbird Feeder, including a sapsycher and a Nathall's Woodpecker. The & Rivoli's Hummingbird is the only other species with which the Blue-throated could be confused; Rivoli's has a grown tail (lesso extensively spotted), lacks the pair of white facial stripes, and is not an even gray underneath.

# Allen's Hummingbird Selasphorus sasin

Mar. 18 Pt. Reyes, Marin Co., Calif.: A make was watched displaying directly to a female in some open undergrowth adjacent to the stream next to the Pt. Reyes hadges. area. The male had given one complete pendulum display and then flew to within a foot of a female (which we had not seen) carrying some white fluff. The female retreated a foot on so and the make began darting back and forth at her with fail cocked and spread and gorget extended:



The hovering of zigzagsed back and forth in front of the female, moving directly at her and then back, then at her again, etc., all in rapid succession. Presumably the female's view would look something like this;

The make is maximizing the area of vufousa exposed to the female - the tail spread display reminiscent of Sage Group

Perhaps the moving back and forth in front of the female maximizes the flashing effect of the iridescent garget.

		••

# Blue Jay Cyanocitla cristata

Feb. 25 Arcata, Humboldt Co., Calif.: I was seen in the Fieldbrook area near Arcata where it has been present for weeks. We watched it for 10 minutes sitting in a tree and coming once to a backyard feeder. we saw it from as close as 50 feet in good sunlight. IT was obviously a Jay, seemingly smaller than Steller's It was crested, but much less obviously than Steller's. The crown was blue, as was the nape, back, wings, and tail; the deepest blue was in the primaries and the dingient was on the hack; the face was white with a black post-ocular line; a conspicuous black collar separated the head from the body; the underparts were a dingy whitish. The wings had conspicous white areas (details of placement not noted) and the outer tail feathers were while as were the doigs of the rest of the tail feathers. Both the wings and tail were conspicuously barred black. The bild was silent the entire time we were there, although it had given typical Blue Jay calls just prior to our arrival according to P. Lehman

			· .
		·	

#### Mountain Chickadee Parus gambeli

June2

Point Reyes, Marin Co. Calif.: I at the Fish Docks where A had been since at least yesterday. This would be an extremely good record for Marin Co., at any time of year, but early June is particularly bizarre in that this should be the middle of the breeding season for Mtn Chickadee, not a period of movement. There was a Winter Vien at the same spot - also a rather northern spp. out of place at this time of year (presumably the Marin Co. breeding population is sedentary).

The bird was recognized by its husky house, "che-de-day" before it was seen. The underpaits were all whitish with the throat backish; the back and wings were gray; the crown was black as was a black eveline setting off a white eyebrow. On three occasions the bird flew out away from the trees heading west, but each time returned to the trees after successively longor flights, the last at least 14 mile.

Remsen	ı
J.V.	
1978	

# Red-breasted Nuthatch Sitta canadensis

1978	Sitta canadensis
	Cameron area, Cameron Par. Louisiana: 2 in orchard e. side Cameron - one of the only records ever for
	Sabine NWR CBC  St. Mary's Parish, Louis: 1

, pr e gere			

## Mountain Bluebird Sialia currycoides

Cameron Parish, Louisiana

Oct. 28

I near Holly Beach - probably an imm. of. Similar in size and shape to Western Bluebird but she sleeker, slimmer longer wings + long shorter tait. Plumage description: wings and tail strilling sky blue; crown blue but palen than wings and tail; nape and upper back grayish; face blueish contrasting with grayish throat and breast; Flanks and undertil coverts very white striking at a distance; uppertail coverts and rump very blue contrasting strongly with pale grayish flanks and undertail coverts. We watched the bird for 15t minutes in good light at 100 yds. through telescope as it sallied to the ground from wooden fence posts bordering a power-station. It occasionally hovered briefly over the ground before dipping to the ground. Unlike any plumage of either Eastern or Western Bluebird, there was absolutely no trace of any rusty or brown tones. The hue of blue was paler, more towards torquoise than either Eastern or Western,

	•		

Northern Mockingbird Mimus polyablos

June 2 Pt. Reyes, Marin Co., Calif.: I singing at Lighthouse - very unusual at Pt. Reyes. Fruitated Stellas Jay, Scrub Jay, Rufous-sided Touhee.

Remsen, J.V.	Brown Thrasher Toxostoma rufa						
Dec . 31	Pueblo to Rocky Ford, Colo: 1 at Rocky Ford Wildlife Area.						

,				
	3			

#### White-eyed Vireo Vireo griseus

May 19

Point Reyes, Marin Co, Calif.: I seen in the exact same row of trees of Mendoza Ranch as the bird last year in early June. It had been found yesterday by the Chiorso's (AI + Wilma), but because Pon Roberson thought their description wasn't good [iris dark, body size too large but they saw yellow spectacles, 2 white wing bars, through yellowish breast and flanks, white renter to bolly, etc.], the bird was poo-posed. When we found out about it this afternoon after someone else saw the bird again today and saw that the iris was white, we rushed out to try to find it. Once we located it, we saw it off and on for a half-hour or so with lengthy observations of the underparts of the bird but poor looks at the upperparts, reminiscent of last years bird.

The most conspicuous main on the bird was the bright, green: yellow" spectacle"— a bar extending across the forehead to the loral area on either side. There appeared to be a thin pale-epering but it was hard to see especially since the iris was also pale [strikingly so in bright light on orderedge of trees hard to see inside the dark canopy [dark pupil enlarges]. The rest of the face was pale grayish. The throat was grayish—white, contrasting strongly with the yellowish wash across the breast and bright yellow sides and flanks. The center of the lower breast through the belly to at least as far back as between the legs was whitish. The bill was moderally large for the bidy size and was definitely hooked and all blackish. We saw little of the upperparts except that there were 2 strong

#### White-eyed Vireo Vireo griseus

May 19

Pt. Reyes [cont]

While wingbass on darker wings and grayish on

the bash, at least at the neck region [ I know the

back is supposed to be greenish, but I couldn't see this

on last year's bird under similar, goor observation

and shape

conditions]. The overall size, of the bird was about

that of Hutton's Vines. - small chunky, and round-headed

I know of no other bird in western hemisphere with a conspictions yellow forthead, I white wingbars, whitish throat, yellow breasts ides + flanks, and white centr of belly

with large hooked bill.

#### Black-and-white Warbler Mniotitla varia

June 2	Pt. Reyes, Marin Co., Calif: 2 (19 at Fish Docks + 1 im. of
	at Lighthouse and then the same bird at Nunes Ranch - the
	im. I had an incomplete blad throat and was not at Nunes early
A North Action of the American Control of State Control	and then present later when it was no longer being seen at Lighthouse)
The second secon	
and the first state of the stat	

# Worm-eating Warbler Helmitherus vermivorus

July 17 Tilden Park, Contra Costa Co., Calif.: I seen in dense willow-dogwood thickets about 200 yds. s. of Jewel Lake opposite Nature Center where found on July 11 by Phil Gordon. Today, Linda Hale saw it at about 1030 about 20-30 yds into the thicket from the road at a spot where it had been seen most often the last three days; she came out to get me, and meanwhile Nancy Conzett, after being there for only 5 minutes, had the bird at close range in the same area at ~ 10\$5. Then we went back into the thickets and at about 1115, I heard a warbler chip note, about 20 yds. N. of the spot where Linda had seen it, which sounded like a weak or soft Yellow Warbler note and glimpsed the bird low in the undergrowth. After 10 minutes or so, the Worm-eating Warbler came into view, and we watched it intermittently for about 20 seconds at about 30 ft. . Then we lost it, but it re-appeared a few minutes later, higher in the foliage, and we saw it again for about 10 seconds in fairly bright light.

This warbler was very long-billed and short-tailed relative to other warblers. The wings and back were a dull brown without streaks or wingbars. The head was conspicuously marked—blacklish streaks through eye and along side of crown—thus the center of the crown had a broad, pale streak bordered on either side by a well-defined blacklish streak. The underparts appeared to be a pale buffy, looking almost dull golden yellow when in the sunny foliage.

## Northern Parula Parula americana

The state of the s	
May 19	Point Royes Marin Co. Calif. : 107 (full broading plumase)
	at Mendoza Ranch blueish upperparts (couldn't see
	back due to poor viewing conditions), 2 while windhars,
	broken white eye-ring, yellow lower mandible, yellow throat
	bordered by blue + reddish chest band, while belly, small
	size, short tril.

## Tennessee Warbler Vermivora peregrina

Jan. 5 Monterey area, Monterey Co., Calif: I in Greenwood Pail where present It week. Bright green back, most of underpaits including undertail coverts white - some yellowish on throat; eyeline very conspicuous

June 2 Pt. Reyes, Marin Co., Calif: 2 at Lighthouse Cobviously different plumages - I with typical breed. plum, I with considerable yellow on chest) + 1 at willows N. of Fish Docks (breed-plum.).

Remsen, Lucy's Warbler **J.V.** Vernivora luciqe 1978 Apr.29 North End Salton Sea, Riverside Co., Calif. : I in mesquite thicket along Lincoln Av. K. Garnett saw that the bird was carrying food.

		·

Remsen, Black-throated Blue Warbler Dendroica caeralescens 1978 Oct. 29 Gum Core, Cameron Parish, Louisiana: 288 - full 8 plymage - both studied for 5-10 minutes each.

Hermit Warbler Dendroica occidentalis

Jan. 21 Pt. Reyes, Marin Co., Calif: 2 Pt. Reyes Hagts. - 1 ad. or in full "breeding" plumage, I im. of with dusly throat (not solid black) and hoad not completely yellow

,	
	•

Remsen, J.V.

#### Bay-breasted Warbler Dendroica castanea

1978	Denaroica Castanea
June 2	Pt. Reyes, Marin Co., Crlif: 1 & at Lighthouse (where present since at least yesterday). The Flanks weren't as dark bay as the breast and crown and weren't solidly-colored - probably a first-yr bird. All field marks seen well at close range as the bird forased in bushes at eye-level in good light.



Remsen, J.V. American Redstart Stochaga ruticilla 1978 June 2 Pt. Reyes, Marin Co., Calif.: 19 - Nunes Ranch

Remsen, J.V. 1978

## Common Grackle Quiscalus guiscula

-	
Dec 2	Wet Mountain Valley, Custer Co., Colo: I in the town of
	Westcliffe. Rare in mountains at any time of year unhead
	in winter. Good study, close range. Identified as a
	gracule by call before seen size and tail shape seemed
	to indicate 4. Larger than Red-winged Blackbird; glossy
	purple-blue head contrasting with bronzy-olive-blackish body;
Book of Topics while, and a profusion to	heavy, curved billed; iris dark

Colorado.

### Great-tailed Grackle Cassidix mexicanus

June 18 Palace of Fine Arts, San Francisco, San Francisco Co., Calif.: 1 or on the island in the north end of the lagoon and adjacent "mainland" shoreline where it had been found earlier in the day for the first record for northern California.

The bird spent most of the time hidden from view in the foliage of the trees on the island, occasionally giving loud whistled notes which sounded similar to those given by this species at Imperial Dam, Furnace Creek Ranch, Ramor Lake etc.—an explosive rising whistle, sometimes followed by a similar, higher-pitched whistle. Twice I heard it give a burst of H

quick, inflected, rising whistles. I have never heard Common

Grackle give these calls, and I grew up with the bird in

We vatched the bird perched in the open at about and 100 feet for 5-10 minutes. Most of the upperparts were and underparts were an irridescent blackish with blue tones around the head: the ving corets were dark brown and looked The primaries looked duti blackish.

Worn. The irris was gleaming white. The tail was long and vaulted in flight. The bill was long, blackish, slightly decurved, and hooked; it seemed longer and thinner proportionally than Common Grackle. The body size was 2-3 x as long as a Brewer's Blackbird, much too large for Common Grackle. This bird lacked the bronzy-greanish and violet irridescence which is conspicuous on Common Grackle. Boat tailed Grackle has a dark iris and would be highly unlikely to even occur in California.

Remsen, J.V. 1978

Yellow-headed Blackbird Xanthocephalus xanthocephalus

Jan.5	Moss	Landing	Mon	terey	Co.	Cal	TF.	: 1	9d.	か.	· ົ	fields	next
	1	2 mudow											

		•

### Bullock's Oriole Icterus bullockii

Nov. 24 Cameron Parish, Louisiann: I ad. of in "Smith's Woods"

nr Johnson's Bayon - watched for 10 minutes as it

sat motionless in trees 20 H. up, 30 H. away. Oranse

eyebrou, black eyeline, extensively white shoulders, orange

face all seen clearly; no visible traces of hybridization.

The black of the back was somewhat scalloped with paler

color, indicating some degree of immaturity (?).

	•	

Remsen, J.V. 1978	Grasshopper Sparrow Ammodramus savannarum
Dec.16	Cameron area, Cameron Par, Louisiana : 2 in field e.
	side Cameron. Rare in winter.
annual and the fact that the second of the second of the second of the second	
manufacture (See Engineer) imposting him statement indigenes to instance and	
	and the second s
you be the same of	
-	

Remsen
J.V.
1978

# Harris' Sparrou Zonotrichia querula

Dec. 16	Cameron area, Cameron Par., Louis: 1 - E. Jety	Woods -
	great views. Very rare on coast	

•			
		•	
	1		

	43		

		4	
		\	
,			

4			

